which allowed the scientists to identify community perceptions about the quality and abundance of the tribe's important resources and their relationship to community health.

- Crow Nation tribal elders described previous water quality conditions of the Little Big Horn River, providing the researchers with valuable information that drove their research project, which was focused on developing risk assessment methodology for multimedia exposure to contaminants in water and wastewater.

- Presentations made to the Anishinaabe tribal citizens, including children, increased awareness about sh advisory maps that could be used to reduce their exposure to mercury from consuming subsistence sh.

- Researchers used teacher training and in-class workshops to teach environmental risk and cultural practices to teachers and students at a tribal school. These workshops were completed entirely in the Mohawk language using oral tradition and hands-on participatory response techniques to share meaning.

- STAR research resulted in a traditional food book, coloring book and documentary that promote safe Swinomish sh and shell sh consumption.

Risk Assessment and Sensitive Populations

Tribal citizens experience unique risks because of their traditional lifestyles and use of natural resources. As a result, risk assessments and exposure scenarios must be tailored to the distinct needs of each AI/AN community.

environmental health and exposure concerns of AI/AN subsistence populations. The series highlighted research goals and preliminary findings of projects focused on cumulative risk and climate change. The webinars featured tribal communities and their research partners who are conducting research on dietary exposure, cumulative risk, climate change health effects and risk reduction. This research aimed to quantify and reduce environmental risks and encourage or restore traditional, healthy lifeways for AI/AN communities (U.S. EPA, 2012e). More information about these webinars is available in Appendix D.

Based on the attendance at and response to webinars sponsored by EPA to communicate the outcomes and accomplishments of STAR research across the Agency's programs, this form of dissemination is highly important

Each AI/AN community has its own unique set of cultural practices, language and traditional ecological knowledge. STAR-funded research strives to support citizens of these communities as they continue their cultural practices with reduced health risks. For example, as a result of the grant, "Reducing Risks of the Anishinaabe From Methyl Mercury," there is greater awareness of sh advisory maps that help to protect the health of tribal citizens residing in Michigan, Minnesota and Wisconsin. These maps allow them to continue their traditional consumption of subsistence sh by harvesting in less-contaminated waters (DeWeese et al., 2007; Kmiecik and Foran, 2007; Madsen et al., 2007). Additional details about this project are described under the theme of "Subsistence Foods and Water Resources."

STAR-funded research also helps to strengthen native language skills and increase culturally relevant communication of traditional ecological knowledge. hs12.2(3(

Alaska. The wild berries also were con rmed to play a key role in community wellness beyond nutrition because of the social and outdoor activities associated with harvesting. These bene ts, however, are potentially threatened by uncertain impacts from contamination, climate change, and sociocultural and behavioral changes that shift focus away from locally available foods. Research ndings are informing community wellness planning by the Alaska Native Tribal Health Consortium and have served as important learning opportunities for community members, particularly youth. The researchers concluded that a strong sense of community and solidarity clearly centered on the annual wild berry yields in Alaska Native communities. Scouting, family-centered wildcrafting and harvests, and preparations are highly anticipated events. Community members' perspectives about the impacts of climate change on this tradition varied, and often risks were categorized along with other perceived threats (e.g., pollution) to the subsistence berries. Several public interviews resulted from this work, including those

Subsistence Foods and Water Resources

T

of no more than four meals per month for the general population, and no more than one meal per month for the sensitive population. A signi cant increase in preference for smaller walleye occurred among tribal harvesters in Wisconsin, Michigan and Minnesota but not among women of childbearing age. The Great Lakes Indian Fish and Wildlife map-based advisory program did not adversely affect tribal harvest of walleye, which increased from 63,000 to 88,000 less-contaminated sh in the three states following the intervention (DeWeese et al, 2007; Kmiecik and Foran, 2007; Madsen et al., 2007).

Coastal and river resources are primary and secondary food sources for a majority of Yurok tribal citizens, particularly those residing near or within Yurok ancestral territory in northern California. The researchers involved in the grant, "Understanding the Cumulative Effects of Environmental and Psycho-Social Stressors that Threaten

The mouth of the Klamath River; the river is an important subsistence resource for the Yurok Tribe.

funded grant, "Reducing Risks of the Anishinaabe From sh advisory maps to reduce their risk of methyl mercury Methyl Mercury," there is greater awareness of the sh exposure through lake-speci c meal consumption advice advisory maps (see example maps on pages 16 and 17) and information that helps them select lakes for harvest produced by the Great Lakes Indian Fish and Wildlife where walleye contain lower mercury concentrations. The Commission. This increased awareness helps to protect data collected under the grant were suf cient to provide the health of Anishinaabe tribal citizens who consume consumption advice for 293 of the 449 lakes assessed mercury-contaminated walleye. Tribal citizens use the in the study. Most of these carried a recommendation

This map is to help you nd safe Ogaa (Walleye) in lakes harvested by Lac Courte Oreilles

This is an example of a sh consumption advisory map developed by the Great Lakes Indian Fish and Wildlife Commission for tribal shermen in Michigan, Minnesota and Wisconsin.

This map is to help you nd safe Ogaa (Walleye) in select Walleye lakes in the Michigan 1842 Ceded Territory

This is another example of a sh consumption advisory map developed by the Great Lakes Indian Fish and Wildlife Commission for tribal shermen in Michigan, Minnesota and Wisconsin.

The P3 team that traveled to the Pine River Reservation to obtain water samples for the EPA-funded project.

Community-Based Participatory Research and Community Outreach and Educatio

Utilizing community-based participatory research in Tribal Environmental Health Research Program is crucial to ensure that researchers partner with AI/AN people in planning and implementing needed research. As such, community-based participatory research, education and outreach have been and continue to be important components of STAR grants and fellowships funded under the Tribal Environmental Health Research Program. In community-based participatory research, the community is actively involved in every phase of the research project being conducted. The researchers must understand the particular culture of the people with whom they are partnering in research and recognize the sovereignty of their government. For example, the researchers of

of St. Lawrence Island. At these meetings, the researchers and the communities discussed the implications of the project results, with the awareness that traditional foods are vital to the well-being and culture of the Yupik people. The research team discussed the results in the context of the recognized nutritional and cultural bene ts of the traditional diet. The leadership of the St. Lawrence Island communities emphasized the need to continue collaborative community-based research and nd methods to reduce exposures while continuing reliance on the traditional diet (Miller et al., 2010).

Elders are respected and revered among AI/AN populations. They carry much of the cultural and traditional ecological knowledge of their tribes and villages and pass their wisdom and knowledge on to the younger generations. Understanding the importance of elders, the researchers involved in the project, "Community-Based Risk Assessment of Exposure to Contaminants via Water Sources on the Crow Reservation in Montana," reached out to Crow tribal elders, who described how the water quality in the Little Big Horn River had deteriorated during the past 50 years. The elders reminded the younger tribal citizens, as well as the researchers, that they do not appreciate water as a precious resource as previous generations did because they no longer must haul it themselves. From the tribal elders, younger generations and academic partners learned about the high respect that the Crow people always have had for water and the importance of protecting this natural resource (Cummins et al., 2010). The tribal elders also helped to guide the research project via their involvement in the Crow Environmental Health Steering Committee (Ford, 2010). To ensure that community outreach and education were successful, the researchers provided Crow Reservation residents comprehensive reports about their water quality, potential health issues and suggested treatments. The researchers provided in-home followup, often in the Crow language, to increase residents' understanding of the research results (Ford, 2010).

The researchers involved with the grant, "Reducing Risks of the Anishinaabe From Methyl Mercury," used community outreach and education to increase awareness of Great Lakes Indian Fish and Wildlife-produced sh advisory maps among the tribal community. Through the grant, researchers explained how to use the maps to tribal leaders, health care providers, sh harvesters, mothers with young children, women of childbearing age, children and elders in Michigan, Minnesota and Wisconsin. These maps help to protect the health of tribal citizens by supporting them in their efforts to reduce consumption of mercury-contaminated walleye. Large sh advisory maps were posted at locations in which spearing and netting pestpan <</p t

scientists learned about toxic substances while also learning the Mohawk language and skills associated with traditional cultural practices (Arquette et al., 2008). Workshops were conducted entirely in the Mohawk

Risk Assessment and Sensitive Populations

Some tribal citizens have unique risks as a result of their traditional lifestyles and extensive reliance on natural resources. As a result, risk assessments and exposure scenarios must be tailored to the tribes' distinct needs. The Traditional Tribal Subsistence Exposure Scenario and Risk Assessment Guidance Manual, based on the major ecological zones across the mainland United States, was published as a result of a Tribal Environmental Health Research Program STAR grant, Ttheir tr
their tresoraactiTribal SubsistAsss Fenttheir tre-7( )]TJn

Jim Gibson, Swinomish shell sh biologist, provides an offering and asks for abundant harvests and protection from harm during the upcoming shing seasons in a ceremony called the Blessing of the Fleet. Also known as the First Salmon Ceremony, the ceremony is enacted by many Paci c Northwest tribes.

generated through this grant were used to develop the cumulative risk scenarios and sh advisory maps, please see the section entitled, Subsistence Foods and Water Resources

Risk assessment was an important component of another Tribal Environmental Health Research Program STAR grant, "Bioaccumulative Toxics in Native American Shell sh." The researchers partnered with Oregon State University to develop a Swinomish Traditional Cultural Lifeways Exposure Scenario and perform passive air monitoring of polycyclic aromatic hydrocarbons, one of the suite of chemicals identi ed as potentially hazardous in the STAR research. A partnership with Seattle University was used to explore the issues of treaty rights and sh consumption (Donatuto, 2010). For more information about how data from this grant were used to develop the exposure scenario, please see the section entitled, Subsistence Foods and Water Resources Although the grant has been completed, the researchers have continued the work initiated in the original STAR grant by partnering with the Puget Sound Partnership and representatives from the Lower Elwha Tribe, the Suquamish Tribe and the Port Gamble S'Klallam Tribe to develop tribal-speci c health indicators for the Salish Sea. This research is being carried out under a new STAR grant, "Tribal Environmental Public Health Indicators." During the rst year of the project, the researchers were able to establish a set of environmental public health indicators for Coast Salish communities near Puget Sound, Washington, that re ect how the communities view and prioritize health. These "Indigenous Health Indicators" include six key health indicators, each with three components:

- Resources (resources security (abundance, access and sharing).
- Community (community connection (cooperation, participation/ roles and familiarity.
- Ceremonial use (ceremonial use (gatherings/ceremonies, giving thanks and feeding the Spirit).
- Education (education (elders, youth and the Teachings).
- Self determination (self determination (healing, economic development and restoration).
- Well-being (well-being (connection to nature, con dence and resilience).

The next step is to test the indicator set with tribal citizens by employing it to assess the health status of the tribal communities (Donatuto, 2012).

The researchers of the grant, "An Epidemiologic Study of Time Trends and Health Effects of Persistent Organic Pollutants, Mercury and Micronutrients," investigated risks to Alaska Native Yupik newborn infants and their mothers, who live in the Yukon-Kuskokwim River Delta of southwestern Alaska and consume the traditional marine subsistence diet. Data regarding blood levels of mercury, lead, cadmium, arsenic and omega-3 fatty acids in these populations have been collected and are being analyzed. These data will allow any potential associations between maternal exposure and potential adverse pregnancy outcomes (e.g., gestational diabetes mellitus, hypertension, preterm delivery, birth defects, growth abnormalities) to be examined as well as any associations between micronutrients and positive pregnancy and infant health outcomes. The researchers also collected salmon tissue for parallel analysis. The results will be used to inform the Alaska Native residents of the Yukon-Kuskokwim River Delta about trends in human tissue levels and any evidence of negative and positive health outcomes. The salmon data, combined with sea mammal data from other studies, will enable subsistence hunters and consumers to have con dence in the low contaminant levels in the salmon and consume those sea mammal species that have been found to have the lowest levels of contaminants. Village-speci c harvest adaptation plans will be developed to ensure the lowest exposure for pregnant women and children while still preserving the enormous cultural and public health value of the traditional diet (Berner, 2013).

Impacts on Regulations and Management Plans

Several STAR grants and fellowships have influenced state regulations and tribal management plans. Based on the results of a STAR grant, "Bioaccumulative Toxics in Native American Shellfish," and other studies that have found high levels of toxins in fish and shellfish in and around tribal gathering places, the Washington Department of Ecology began re-examining the state's water quality standards in the fall of 2010 (Brooks, 2010). Oregon's Department of Environmental Quality has been working closely with state, federal and tribal governments and industries to set a stricter water quality standard, one that would allow people to safely eat not just one serving of fish or shellfish per month but one serving per day (State of Oregon, 2007). EPA has encouraged individual states to set standards based on data that show how much fish people typically consume from state waters. In the absence of those data, the federal standard of about one 7-ounce serving of fish per month applies, and this has been the state of Washington's standard for more than 2 decades (State of Washington, 2009, 2010). In the state review of the fish consumption rate, the Swinomish are advocating for historical consumption rates, which are perhaps as high as 1 pound of fish per person per day (Brooks, 2010). At the time of publication of this report, the state of Washington had not revised its limits; more information can be found at the Washington Department of Ecology website.

The quantitative data produced by a STAR fellowship, "Makah Traditional Environmental Knowledge and Gray Whale Conservation," were used by a tribal biologist to support the implementation of stricter water quality standards on the Makah Nation reservation than those issued by the state of Washington. The data indicated that tribal consumption of locally caught fish was significantly higher than the levels used to develop the previous standards (Sepez, 2011).

The results of a STAR fellowship, "Linking Traditional Knowledge and Environmental Policy in the Cherokee Nation of Oklahoma," continue to be used internally by the Cherokee Nation in northeastern Oklahoma to design its Tribal Integrated Resource Management Plan. The plan serves as formal guidance for all of the Cherokee Nation's land and resource planning and management issues. The grant resulted in the formation of a group, composed of Cherokee elders who are knowledgeable on the subject of Cherokee ethnobotany, to advise the Cherokee Nation Natural Resources Department. The elders work with departmental staff on Tribal Integrated Resource Management Plan implementation, as well as on larger goals of cultural and environmental protection (Carroll, 2011).

The "Space-Time Aquatic Resources Modeling and Analysis Program," a STAR-funded center, worked with 10 tribes in four states to assist with the development of tribal aquatic water quality monitoring plans that take into account de nitive tribal needs for monitoring cultural uses of tribal water. The tribes involved in the research actively pursued the protection of culturally sensitive water uses, such as hand-dredging of clay for pottery making and wetland plant harvesting for construction of sweat lodges and cradle boards (Johnson, 2003).

The Tribal Environmental Health Research Program released its latest RFA, "Science for Sustainable and

Finally, grants funded under EPA's Tribal Environmental Health Research Program have had positive impacts on regulations and management plans. One practical

References

Arquette M, Arquette D, David L, Sargent E, and Thompson, D. 2008. Iakotisa'tstentsera:wis Ne Ohontsa:Reducing Risk by Restoring Relationships: Final Report to EPA. 30 March.

Banks MK, Reddi LN, and Voice TC. 2007. TOSC/TOSNAC Programs: Final Technical Report Summary

Becraft J and Werth C. 2012. Email communication. 19 August.

Berner J. 2013. Email communication. 29 October.

Breville M. 2011. Personal communication. 23 June.

Brooks C. 2010. State Takes a New Look at How Much Fish is Safe to Eat. Seattle Times. 25 July. http://seattletimes.nwsource.com/html/localnews/2012448836_tribal sh26m.html

Burgher K. 2011. Personal communication. 15 February.

Carroll C. 2011. Email communication. 15 February.

Center for Hazardous Substance Research. Technical Outreach

Brvk ibCent Br C
Wisco(Stind L,)
BurCentBr
unl Kn.ommger

U.S. EPA. 2012a. Funding Opportunity: Measurements and Modeling for Quantifying Air Quality and Climatic Impacts of Residential Biomass-Fuel Coal Combustion for Cooking, Heating, and Lighting. Last updated 20 June. http://www.epa.gov/ncer/rfa/2012/2012_star_cook_heat_light.html

U.S. EPA. 2012b. Fall 2012 EPA Science To Achieve Results (STAR) Fellowships For Graduate Environmental Study. Last updated 3 October. http://www.epa.gov/ncer/rfa/2012/2012_star_gradfellow.html

U.S. EPA. 2012c. NCER Research Project Database. Last updated 23 August. http://cfpub.epa.gov/ncer_abstracts/index.cfm/fuseaction/search.welcome

U.S. EPA. 2012d. Science in Indian Country. Last updated 12 March. http://www.epa.gov/osp/tribes/who.htm

U.S. EPA. 2012e. Tribal Environmental Health Research Program. Last updated 8 November. http://www.epa.gov/ncer/tribalresearch/index.html

U.S. EPA. 2012f. Members of the EPA National Tribal Caucus. Last updated 21 December. http://www.epa.gov/tp/contactinfo/trcaucus.htm

U.S. EPA. 2012g. Fall 2011 EPA Science To Achieve Results (STAR) Fellowships For Graduate Environmental Study. Last updated 3 October. http://www.epa.gov/ncer/rfa/2011/2011_star_gradfellow.html

U.S. EPA. 2012h. Fall 2013 EPA Science To Achieve Results (STAR) Fellowships For Graduate Environmental Study. Last updated 28 November. http://www.epa.gov/ncer/rfa/2013/2013_star_gradfellow.html

U.S. EPA. 2012i. Science in Indian Country. Last updated 30 July. http://www.epa.gov/osp/tribes/tribes.htm

U.S. EPA. 2012j. 2011 National Tribal Science Priorities Framework and Instruction Guide. National EPA-Tribal Science Council. January. http://www.epa.gov/osp/tribes/pdf/National%20Tribal%20Science%20Priorities%20Process.pdf

U.S. EPA. 2011a. Climate Change. National EPA-Tribal Science Council.

Appendix A: Summary of Tribal Environmental Health Research Program STAR Grants by RFA

Issues in Tribal Environmental Research and Health Promotion: Novel Approaches for Assessing and Managing Cumulative Risks and Impacts of Global Climate Change (2007 RFA)

The U.S. Environmental Protection Agency (EPA) recognized the need to increase capacity within the tribes to assess differential subsistence-based exposures related to cumulative chemical exposures and global climate changes. As a redn16.k.00.2( )37.9(As a r)12.2(edn16.3(diis soli.2(tion)3P)64.w)12.2antiesign7.3(e chemicsti e)11.2(xp2( )37.D 2940 >>BDC 0 -1.088 TD [(clim1t)13.2(e changes)16.2(.om e)11.2n2(o-

Lifestyle and Cultural Practices of Tribal Populations and Risks From Toxic Substances in the Environment (2002 RFA)

This RFA focused on the need to develop methods to assess subsistence-based exposure and increase capacity within the tribes to assess environmental health threats from subsistence life styles. It was designed to promote research that would help understand the risks derived from the combined or "cumulative" exposure experience associated with concurrent dietary, cultural and related practices. The solicitation invited applications in two areas: (1) exposure and effects assessment methods that can be broadly applied across geographic regions and tribal populations and (2) risk management strategies and options that would lead to reduction in risk from exposure. Five grants were awarded under this RFA (U.S. EPA, 2012e).

R831043 Environmental Contaminants in Foodstuffs of Siberian Yupiks from St. Lawrence Island, Alaska

The researchers previously showed that the Siberian Yupik people

Hamner S, Broadaway SC, Berg E, Stettner S, Pyle BH, Big Man N, Old Elk J, Eggers MJ, Doyle J, Kindness L, Good Luck B, Ford TE, and Camper AK. 2013. Detection and Source Tracking of *Escherichia coli* Harboring Intimin and Shiga Toxin Genes, Isolated From the Little Big Horn River, Montana. International Journal of Environmental Health Research. doi: 10.1080/09603123.2013.835030. E-published 17 Sept.

Harding AK, Harper B, Stone D, O'Neill C, Berger P, Harris S, and Donatuto J. 2012. Conducting Research With Tribal Communities: Sovereignty, Ethics, and Data-Sharing Issues. Environmental Health Perspectives 120(1):6–10.

Harper BL, Harding AK, Harris S, and Berger P. 2012. Subsistence Exposure Scenarios for Tribal Applications. Human and Ecological Risk Assessment: An International Journal 18(4):810–831.

Judd NL, Drew CH, Acharya C, Marine Resources for Future Generations, Mitchell TA, Donatuto JL, Burns GW, Burbacher TM, and Faustman EM. 2005. Framing Scienti c Analyses for Risk Management of Environmental Hazards by Communities: Case Studies With Seafood Safety Issues. Environmental Health Perspectives 113(11):1502–1508.

Kellogg J, Higgs C, and Lila MA. 2011. Prospects for Commercialisation of an Alaska Native Wild Resource as a Commodity. The Journal of Entrepreneurship 20(1):77–101.

Kellogg J, Joseph G, Andrae-Marobela K, Sosome A, Flint C, Kormarnytsky S, Fear G, Struwe L, Raskin I, and Lila MA. 2010. Screens-to-Nature: Opening Doors to Traditional Knowledge and Hands-on Science Education. NACTA Journal 54(3):41–48.

Kellogg J, Wang J, Flint C, Ribnicky D, Kuhn P, González De Mejia E, Raskin I, and Lila MA. 2010. Alaskan Wild Berry Resources and Human Health Under the Cloud of Climate Change. Journal of Agricultural and Food Chemistry 58(7):3884–3900.

Light AR. 2008. Beyond the Myth of Everglades Settlement: The Need for Sustainability Jurisprudence. Tulsa Law Review 44(1):253–274.

Light AR. 2006. The Waiter at the Party: A Parable of Ecosystem Management in the Everglades. ELR News and Analysis 36(10):10771–10785.

Lila MA, Kellogg J, Flint C, and Raskin I. 2010. Arctic Berries: Stressed for Success. Pharmaceutical Biology 48 (Suppl 1):2.

Madsen ER, DeWeese AD, Kmiecik N, Foran JA, and Chiriboga ED. 2008. Methods To Develop Consumption Advice for Methyl Mercury-Contaminated Walleye Harvested by Ojibwe Tribes in the 1837 and 1842 Ceded Territories of Michigan, Minnesota, and Wisconsin. Integrated Environmental Assessment and Management 4(1):118–124.

Sepez J. 2008. Historical Ecology of Makah Subsistence Foraging Patterns. Journal of Ethnobiology 28(1):110–133.

Sepez J. 2002. Treaty Rights and the Right to Culture: Native American Subsistence Issues in U.S. Law. Cultural Dynamics 14(2):143–159.

Sepez J. 1998. Aboriginal Whaling—Biological Diversity Meets Cultural Diversity. Northwest Science 72(2):142–145.

Sepez J and Lazrus H (eds.). 2005. Special Theme Issue: Traditional Environmental Knowledge in Federal Natural Resource Management Agencies. Practicing Anthropology 27(1):1–48.

Solomon M. A Sacred Duty: Tribal "Treatment as State" Under the Clean Water Act and Restoring Native Fisheries in the Upper Columbia River Basin. Society & Natural Resources 63 (Suppl 1):1–11.

Basabe FA and Donatuto J. 2001. Bioaccumulative Toxics in Native American Shell sh Quality Assurance Project Plan. Swinomish Indian Tribal Community: La Conner, Washington.

California Tribal Epidemiology Center. 2012. Yurok Tribe Environmental Community Health Pro le 2004–2011. California Tribal Epidemiology Center, California Rural Indian Health Board: Sacramento, California. March.

Cherokee Nation Natural Resources Department. 2009. Plants of the Cherokee Nation. Cherokee Nation Foundation: Tahlequah, Oklahoma.

Donatuto J. 2002. Quality Assurance Project Plan for Speciated Arsenic Analyses in Saxidomis giganteus. Swinomish Indian Tribal Community: La Conner, Washington.

Eggers MJ, Lefthand MJ, Young SL, Doyle JT, and Plenty Hoops A. 2013. When It Comes to Water, We Are All Close Neighbors. Published on It All Starts With Science: An EPA Blog About Science Matters. http://blog.epa.gov/science/2013/06/when-it-comes-to-water-we-are-all-close-neighbors/ June.

Etnier M and Sepez J. 2008. Changing Patterns of Sea Mammal Exploitation among the Makah. In: Layton R, Maschner H, and Papagianni D (eds). Time and Change: Archaeology and Anthropological Perspectives on the Long-Term in Hunter-Gatherer Societies. Oxbow Press: Woodbridge, Connecticut, pp. 143–158.

Fitch JH. 2009. Pedagogic Opportunities in Designing and Developing Sustainable Affordable Housing and Outdoor Classrooms in Southwest Florida. Greening of the Campus VIII Conference Proceedings, Indianapolis, Indiana, 20–23 September.

Harper BL, Harding AK, Waterhouse T, and Harris S. 2007. Tribal Subsistence Exposure Scenario and Risk Assessment Guidance Manual. Oregon State University Printing and Mailing: Corvallis, Oregon.

Johnson SW. 2003. Needs Assessment of Tribal Requirements for Instruction in the Use of Statistically-Based Aquatic Water Quality Monitoring Techniques. Final Report prepared by Water Quality Technology, Inc.: Fort Collins, Colorado. 12 pp.

Johnson W and Sepez-Aradanas J. 1999. Harvest From the Sea (editorial). The New York Times, The Seattle Times, and The Port Angeles Daily News. 21 May.

Kellogg J, Yousef GG, Grace MH, Flint C, Raskin I, and Lila MA. 2009. Partnering With Alaskan Communities To Examine Health Bene ts of Traditional Wild Berries. The FASEB Journal. 23 (Meeting Abstract Supplement):LB469.

Kellogg JJ. 2009. Bioexploration of Wild Alaskan Berries: From Field Screening to Functional Foods. M.S. Thesis. University of Illinois at Urbana-Champaign: Urbana, Illinois.

Lila MA, Kellogg J, Flint C, and Raskin I. 2010. Arctic Berries: Stressed for Success. Pharmaceutical Biology. 48 (Suppl 1):2.

Native Lens Video. 2005. Show Bundle (Documentary Videos). Native Lens Video: Anchorage, Alaska.

Donatuto J. 2003. Project Design and Implementation: Bioaccumulative Toxics in Native American Shell sh. Presented to the Northwest Indian Fisheries Commission, La Conner, Washington.

Donatuto J. 2003. Project Design and Implementation: Bioaccumulative Toxics in Native American Shell sh. Presented at the People for Puget Sound Meeting, Bellingham, Washington.

Donatuto J and Basabe T. 2003. Project Design and Implementation: Bioaccumulative Toxics in Native American Shell sh. Presented at the U.S. Environmental Protection Agency Science To Achieve Results Human Health Symposium, Washington, DC, 9–10 April.

Donatuto J and Campbell L. 2003. Project Design and Implementation: Bioaccumulative Toxics in Native American Shell sh. Presented at the U.S. Environmental Protection Agency Science Forum, Washington, DC, 5–7 May.

Donatuto J and Harper B. 2008. De ning and Evaluating Risks from Contaminated Food in a Native American Fishing Community (Swinomish). Presented at the International Society of Exposure Analysis Annual Meeting, Pasadena, California, 15 October.

Donatuto J and O'Hara C. 2002. Project Design and Implementation: Bioaccumulative Toxics in Native American Shell sh. Presented at the U.S. Environmental Protection Agency Region 10 Tribal Conference, Lincoln City, Oregon.

Donatuto J and Smith K. 2005. Bioaccumulative Toxics in Native American Shell sh. Poster presented at the National Institute for Environmental Health Sciences Annual Grantees Conference , Talkeetna, Alaska, 19–22 September.

Doyle JT, Kindness L, Bear Don't Walk UJ, Realbird J, Eggers MJ, Bends AL, Crow Environmental Health Steering Committee, and Camper AK. 2012. For As Long As the Grass Shall Grow and the Rivers Shall Flow: Clean Water, a Sovereign Responsibility. Plenary presentation at the National Congress of American Indians Tribal Leader and Scholar Forum, Lincoln, Nebraska, 17–20 June.

Doyle JT, Kindness L, Bear Don't Walk U, Realbird J, Eggers MJ, Crow Environmental Health Steering Committee, Ford TE, and Camper AK. 2013. Addressing Disparities in Safe Drinking Water Access on the Crow Reservation, Montana. Presented at the Environmental Health Disparities and Environmental Justice Meeting, Raleigh, North Carolina, 29–31 July.

Doyle JT, Kindness L, Bear Don't Walk U, Realbird J, Eggers MJ, Crow Environmental Health Steering Committee, Ford TE, and Camper AK. 2012. Reducing Tribal Health Disparities Through Solving Water Infrastructure Challenges. Presented at the National Institutes of Health's National Institute of General Medical Sciences Fourth Biennial National IDeA Symposium of Biomedical Research Excellence (NISBRE), Washington, DC, 25–27 June.

Doyle JT, Kindness L, Bear Don't Walk U, Realbird J, Eggers MJ, Old Coyote K.Environmental Health Steering Committee, FEnviMCID 3830F12.2(o)5.u3(olina,)100C.2(CdSsJT)ks-7.3Pe-7( )]TJpourEnvironm121 >>BDC 0 Health36nsibility.eerin,D3igRMot,d J, Egger Realbird12 >>BDC 0 -1.118 TD [(Health3]TJ EMC /Span <</MCID y)10(dCo)7.3(8(W)0F13.unit2-Bas[(AR

Flint C and Lila MA. 2009. Alaskan Subsistence Resources and Communities at Risk: Integrating Traditional Ecological Knowledge, Risk Perception Assessment, and Plant Science in Participatory Research. Presented at the Rural Sociological Society Annual Meeting, Madison, Wisconsin, 30 July–2 August.

Flint CG and Lila MA. 2010. Traditional Knowledge and Perceptions of Ecosystem and Community Well-Being in Three Alaska Native Communities. Presented at the International Symposium for Society and Resource Management, Corpus Christi, TX, 6–10 June.

Foran J. 2004. Great Lakes Indian Fish and Wildlife Fish Advisory Program and STAR Grant Plans. Presented at the Fifth Annual Environmental and Occupational Health Conference, Minneapolis, Minnesota, 11–13 July.

Foran J. 2004. Great Lakes Indian Fish and Wildlife Fish Advisory Program and STAR Grant Plans. Presented at the Great Lakes Research Consortium State-National Consumption Advisory Workshop.

Ford TE, Eggers MJ, Cummins C, Doyle J, Kindness L, and Young S. 2010. Translating Community-Based Participatory Research: Lessons Learned. Panel presentation at the 2010 National Tribal Science Forum, Traverse City, Michigan, 6–10 June.

Ford TE, Eggers MJ, Old Coyote TJ, Good Luck B, Felicia DL, Doyle JT, Kindness L, Leider A, Moore-Nall A, Dietrich E, and Camper AK. 2012. Comprehensive Community-Based Risk Assessment of Exposure to Water-Borne Contaminants on the Crow Reservation. Presented at the EPA Tribal Environmental Health Research Program Webinar, 17 October.

Hamner S, Broadaway S, Big Man N, Old Elk J, Doyle J, Kindness L, Pyle B, Eggers M, Camper AK, and Ford T. 2012. Detection of Multiple Enterohemorrhagic Escherichia coli Serotypes in the Little Bighorn River, Montana, USA. Presented at the Society for General Microbiology Spring Conference 2012, Dublin, Ireland, 26–29 March.

Harding A and Harper B. 2011. Addressing Tribal Exposures to Polycyclic Aromatic Hydrocarbons (PAHs) and Building Tribal Capacity Through a Tribal-University Partnership. Presented at the National Institute of Environmental Health Sciences and U.S. Environmental Protection Agency Superfund Research Program Risk e-Learning Series Webinar, 23 May.

Harding A, Harper B, Harris S, Stone D, Anderson K, Simonich S, Uesugi S, Forsberg N, Motorykin O, Cardenas A, and Waters K. 2012. Working with a Native American Community to Characterize (and De ne) Their "Add" Risk as a Value-Based Decision Based on Important Cultural Practices. Presented at the 140th American Public Health Association Annual Meeting and Exposition, San Francisco, California, 30 October.

Harding AK, Harper BL, and Harris S. 2008. Estimating Environmental Exposures for Tribes Engaged in Traditional Subsistence Lifestyles. Poster presented at the 136th American Public Health Association Annual Meeting and Exposition, San Diego, California, 25–29 October.

Harper B. 2010. Research Ethics and Informed Tribal Consent. Presented at the Symposium on Conducting Research in Tribal Communities, Oregon State University, Corvallis, Oregon, 7 April.

Harper B. 2009. Exposure Scenarios—Fish Consumption Rates Within the larger Tribal Exposure Context. Presented at the Tribal Rights and Fish Consumption Workshop: Issues and Opportunities for the Pacific Northwest, University of Washington, Seattle, Washington, 12 August.

Harper B. 2008. Bridging Western and Traditional Science in Assessing Exposure in Subsistence Populations. Presented at the 18th Annual International Society of Exposure Analysis Annual Meeting, Pasadena, California, 15 October.

Harper B. 2008. Constructing Traditional Tribal Subsistence Exposure Scenarios. Presented at the 18th Annual International Society of Exposure Analysis Annual Meeting, Pasadena, California, 15 October.

Harper B and Harding A. 2008. Tribal Exposure Analysis and Scenario Development. Presented at the EPA National Risk Assessors Training, Seattle, Washington, 8 October.

Harper B, Harding A, and Harris S. 2007. A Multidisciplinary Approach to Developing Tribal Exposure Scenarios. Presented at the International Society for Exposure Analysis Annual Meeting, Durham, North Carolina, 18 October.

Harper B, Harding A, Waterhous T, Harris S, and Fleming H. 2006. Estimating Environmental Exposures for Tribes Practicing Traditional Subsistence Lifestyles: Part 1: Cross-Cultural Methods and Part 2: Research Results for Speci c Exposure Pathways. Poster presented at the National Forum on Tribal Environmental Science, Quinault Indian Nation, Ocean Shores, Washington, 24–28 September.

Harper BL, Harding AK, Waterhous TS, Harris SG, Wilcox AR, McCulley EA, and Fleming HS. 2005. Regional Tribal Exposure Scenarios Based on Major Ecological Zones and Traditional Subsistence Lifestyles. Poster presented at the Oregon Public Health Association Annual Meeting and Conference, Corvallis, Oregon, 6 October.

Harper BL, Harding AK, Waterhous TS, Harris SG, Wilcox AR, McCulley EA, and Fleming HS. 2005. Regional Tribal Exposure Scenarios Based on Major Ecological Zones and Traditional Subsistence Lifestyles. Poster and presentation at the Annual Grantee Meeting Sponsored by the National Institute of Environmental Health Sciences, U.S. Environmental Protection Agency, and National Institute of Occupational Safety and Health, Talkeetna, Alaska, 19–22 September.

Harper B, Harding A, Waterhous T, Wilcox A, and Harris S. 2009. Eco-Social Cultural Mapping: Tribal Lifestyles and Environmental Risks—Regional Tribal Exposure Scenarios Based on Ecological Zones and Traditional Lifeways. Presented at the Promoting Environmental Health in Native American Communities Webinar Series, 30 June.

Harper B and Harris S. 2009. Climate, Drought /Span <</MCID 3ulMtation. I presentation at the Workshop on Climate, Drought /Span3(and Earl)6.3(y)3 Presentation and Panel Discussion on Updating EPA's Guidance on Exposure /MCID 3ssessment. Presented at the International Society for Exp 3ssessment /MCID 3nnual Meeting, Tucson, Arizona, 2 November.

Harris S, Harper B, Donatuto J, and Harding 2006. Impacts to Tribal Health and Culture of Mercury and Other Contaminants in Columbia Basin Fish. Presentation at the Conference on Mercury as a Global Pollutant: Toward Integration of Science, Policy, and Socioeconomics, Madison, Wisconsin, 6–11 August.

Harris SG, Harper BL, and Harding 2004. Risks From Tribal Subsistence Lifeways in the Columbia Basin. Presentation at the Fourth Society for Environmental Toxicology and Chemistry World Congress, Portland, Oregon, 14–18 November.

Kellogg J, Flint C, Ferguson G, Raskin I, and Lila M3. 2010. Phytochemical Composition and Bioactivity of Wild an Berries. Presented at the 2010 Joint /MCI8(Ann)5.2(ual Meeting of the)37.D 3merican Society of Pha and the Phytochemical Society of North St. Petersburg Beach, Florida, 10–14 July.

Kellogg J, Flint C, Ferguson G, Raskin I, and Lila M3. 2010. Partnering With a Native Communities to Link Science and Traditional Presented at S0

King J. 2007. Takotisa'tstentsera:wis Ne Ohontsa: Reducing Risk by Restoring Relationships. Workshop presentation at the Haudenosaunee Environmental Youth Conference.

Kmiecik N. 2008. Intervention research and Probabilities of Risk in Walleye-Harvesting Ojibwe Communities. Presented at the International Society of Environmental Epidemiology and International Society of Exposure Analysis Joint Annual Meeting, Pasadena, California, 12–16 October.

Kmiecik N. 2008. Reducing Health Risks Amidst Anishinaabe From Methyl Mercury. Presented at the Joint Conference of the National Tribal Forum

Appendix C: Tribal Environmental Heal Research Program Presentations

Staff members from EPA's Tribal Environmental Health Research Program have given a number of presentations about the research conducted within the program at national and international meetings. A repres these presentations is provided below.

Breville M. 2011. NCER Tribal Programs: An Overview. Presented to the EPA Of ce of International and Tribal Affairs, Washington, DC, 3 August.

Breville M. 2011. NCER Tribal Programs: An Overview. Presentation provided to the National EPA-Tribal Science Council, June.

Breville M. 2010. NCER Tribal Environmental Health Overview. Presented at the 20th Annual International Society of Exposure Science Conference (joint with International Society for Environmental Epidemiology), Seoul, Korea, 30 August.

Breville M. 2010. Tribal Environmental Health Research Program Grants. Presented at the Tribal Environmental Health RFA Strategy Session, 2010 National Tribal Science Forum, Traverse City, Michigan, 9 June.

Breville M. 2010. NCER Tribal Environmental Health Overview. Presented at the 2010 National Tribal Science Forum, Traverse City, Michigan, 7 June.

Breville M. 2009. Educational Opport7 Tw 0 -1.088 TD [(June)16.2(.)]T1ucoFionad0EMC9.3.8(T)69.3C-7( )]TJ ErC /Span <</MCID 4471 >>BD

Appendix D: Overview of Tribal Enu933.103

&OLPDWH &KDQJH DQG &RQWDPLQDQWV LQ 6XEVLVWHQF)RRGV $ 7ULEDO 3URJUDP WR

Appendix E: Summary Tables of EPA Tribal Rese
Projects Discussed Within the Report

STAR Grants Discussed in this Report and Funded Under the EPA Tribal Environmental Health Research Program (TEHRP)

Project Title (Grant Number)	RFA Needs Addressed by Grant	Principal Investigator(s)/ Fellow(s)	Institution(s)	Project Period
Issues in Tribal Environmental Research and Health Promotion: Novel Approaches for Assessing and Managing Cumulative Risks and Impacts of Global Climate Change (2007 RFA)				
An Epidemiologic Study of Time Trends and Health Effects of Persistent Organic Pollutants, Mercury and Micronutrients (R833705)	• Addressed tribal cumulative exposures to multiple environmental stressor in rural Yupik Alaska Native people. • Evaluated the affect of global climate change on contaminants in the Bering Sea to address impacts on the cultural and physical health of Yupik Alaska Native people.	James Berner	Alaska Native Tribal Health Consortium	June 1, 2009 through May 31, 2013 (Extended to May 21, 2014)
Community-Based Risk Assessment of Exposure to Contaminants via Water				

0 avi26.243D.4mpConJir in(Y)34(e>>BDC -0.078 Twc)27 >>BDC 36.073 3.176 Td 605he cultur8014)lo</MCID 456-(Y)34(llt)4 e[(7 >>
(d)13(o Cont)13(aminantsd2J Emhe cultur)14(al and ph)10(ysidl.0)4 /7Tj EMC /Span <</MCID 4564 >>BDC 0 -1.059 TD [(dtor)14(al and ph)10(ysidl.0)4 /7Tj EMC /Span <</MCMC /Span

Project Title (Grant Number)	Funding Program	Request for Application	Principal Investigator(s)/ Fellow(s)	Institution(s)	Project Period
Tribal Environmental Public Health Indicators (R834791)	NCER STAR Grant	Exploring Linkages Between Health Outcomes and Environmental Hazards, Exposures, and Interventions for Public Health Tracking and Risk Management (2009 NCER RFA)	Jamie Donatuto	Swinomish Tribal Community	July 1, 2011, through June 30, 2013
Midwest Hazardous Substance Research Center (R828770)	SBT				

Appendix F: Practical Applications of EPA Tribal Research

It is important that AI/AN communities, the larger public, researchers, health departments, practitioners, state and local regulators, and other stakeholders understand how tribal research conducted within the STAR Tribal Environmental Health Research Program and other EPA initiatives can provide them with practical applications and tools, methods and approaches that may be replicated in their own communities as they confront real-world environmental health issues.

Theme: Cultural Practices, Language and Traditional Ecological Knowledge

- Understand and integrate the cultural aspects of the community into research and develop culturally relevant educational materials, such as a booklet on wild plant knowledge in the Cherokee language, to explain risks and how to mitigate them to more effectively reduce exposures of sensitive populations as they engage in traditional practices.

Theme: Subsistence Foods and Water Resources

- Utilize community-based research to develop wellness plans, such as those being developed by the Alaska Native Tribal Health Consortium around sustenance berry use, that preserve traditional diets while managing risk and protecting public health.

- Use quantitative data on contaminant levels, such as those used by the St. Lawrence Island Yupik people to assess the contaminants in rendered oils and organ meat that are part of their traditional diet, to help communities avoid or reduce the risks associated with traditional diets.

Theme: Community-Based Participatory Research and Community Outreach and Education

- Develop strong partnerships with the community and enlist community representatives to guide the research design and implementation, as was done for the research project on the Crow Reservation that was

Appendix G: Additional Resources

NCER Program Websites

NCER Home Page: http://www.epa.gov/ncer

Events and Webinars: http://epa.gov/ncer/events

Fellowships Programs: http://www.epa.gov/ncer/fellow

Grantee Websites

EPA is not affiliated with the content of these websites.

Regional Tribal Exposure Scenarios Based on Major Ecological Zones and Traditional Subsistence Lifestyles Grant: http://health.oregonstate.edu/research/featured-projects/tribal-grant

Space-Time Aquatic Resources Modeling and Analysis Program: http://www.stat.colostate.edu/~nsu/starmap/program.html

Swinomish Indian Tribal Community Bioaccumulate Toxics in Native American Shellfish: http://www.swinomish-nsn.gov/Resources/Environment/Shellfish/Bioaccumulate-Toxics-In-Native-American-Shellfish.aspx

Technical Outreach Services for Native American Communities: http://www.engg.ksu.edu/chsr/outreach/tosnac/

Yurok Tribal Environmental Program: http://www.yuroktribe.org/departments/ytep/ytep.htm

Federal Tribal Websites

EPA is not affiliated with the content of these websites.

Agency for Toxic Substances & Disease Registry: http://www.atsdr.cdc.gov/tribal/

Indian Health Service: http://www.ihs.gov

U.S. Department of Agriculture: http://www.usda.gov/wps/portal/usda/usdahome?navid=OTR

U.S. Department of the Interior Bureau of Reclamation: http://www.usbr.gov/native/

U.S. Fish & Wildlife Service: http://www.fws.gov/nativeamerican/

U.S. Forest Service: http://www.fs.fed.us/spf/tribalrelations/index.shtml

U.S. Geological Survey: http://www.usgs.gov/indian/

Grants Training: EPA-Supported Programs and Contacts

http://www.petetribal.org/

http://www.epa.gov/ogd/training/recip_train.htm

http://www.epa.gov/tp/contactinfo/regcontacts.htm

Region 9 Current Contact: Laura Ebbert (ebbert.laura@epa.gov)

Region 10 Current Contact: Sally Thomas (thomas.sally@epa.gov)

gov/tribal/

Grants Training: Non-EPA Programs

EPA is not affiliated with the content of this website.

The Administration for Native Americans has been hosting grant writing training across the country, including Alaska and Hawaii, on an annual basis for more than 15 years. There is no fee for tribes to attend; however, they must cover transportation-related expenses. The schedule can be found at:

http://www.acf.hhs.gov/programs/ana/assistance/applicant-training-technical-assistance