ANNEX
to the
BODY ART MODEL CODE

JULY 2021

www.neha.org

Foreword **1**
Acknowledgements **2**

1. Definitions **4**
2. BODY ART OPERATOR REQUIREMENTS AND PROFESSIONAL STANDARDS **11**
3. SPECIFIC CONSIDERATIONS FOR PIERCING **14**
4. JEWELRY STANDARDS **15**
Specific Considerations for Tattooing **16**
Specific Considerations for Cosmetic Tattooing **17**
Specific Considerations for Branding **18**
Specific Considerations for Scarification **18**
5. PUBLIC NOTIFICATION REQUIREMENT/TT0 1 54.7087 507.TY RE **19**
6. FACILITY RECORDKEEPING REQUIREMENT/TT0 1 54.7087 507.TY RE .....

1. DEFINITIONS

The terms used in these regulations are dеnned as follows:

DISINFECT means to destroy pathogenic and other kinds of microorganisms by physical and/or chemical means. Disinfection is less lethal than sterilization because it destroys most recognized pathogenic microorganisms; it does not, however, necessarily destroy all microbial forms, such as bacterial spores. Disinfection does not ensure the margin of safety associated with sterilization processes (Centers for Disease Control and Prevention's [CDC] Division of Oral Health).

EAR PIERCING see **BODY PIERCING**

EAR PIERCING GUN means a stud-and-clasp ear-piercing system. Ear-piercing guns must adhere to these regulations and meet the requirements of a body art practitioner.

ENFORCEMENT OFFICER means all jurisdictional health officers, directors of environmental health, and duly authorized registered environmental health specialists and their agents having regulatory jurisdiction as applied to body art establishments and operations.

EQUIPMENT means all machinery, containers, vessels, tools, devices, implements, storage areas, and sinks that are used in conjunction with the storage or application of body art by a body artist, or used within the sterilization/decontamination and disinfection processes.

FACILITY see **BODY ART ESTABLISHMENT**

FURNISHINGS means all fixtures, furniture, and other objects within a body art establishment that are not integral to the structure of the physical establishment (e.g., walls, windows, doors) and are not used in the storage of body art equipment, application of body art, or its sterilization/ decontamination and disinfection processes.

GLOVES means medical grade or exam grade, sterile or nonsterile, disposable, single-use, full-hand coverings worn for protection against disease transmission.

GUARDIAN means a person lawfully invested with the power and charged with the obligation of taking care of managing the property and rights of a person who, because of age, understanding, or self-control, is considered incapable of administering his or her own affairs.

HAND WASHING means the act of cleaning one's hands for the purpose of removing dirt, soil, or microorganisms through the use of soap, warm water, and friction.

HAND WASHING SINK means a sink equipped to provide water at a temperature of at least 38 oC (100 oF) through a mixing valve or combination faucet, used solely for washing hands, arms, or prosthetics.

HAZARDOUS WASTE means all substances that exposure to results or can result in adverse effects on human health and safety under 29 CFR 1910.120 OSHA.

IDENTIFICATION means government-issued ID card with name, photo, and birthdate.

IMMINENT HEALTH HAZARD means a significant threat or danger to health that is considered to exist when there is evidence sufficient to show that a product, practice, circumstance, or event creates a situation that requires immediate correction.

PERMANENT COSMETICS means a tattoo, whether permanent, semipermanent, or temporary, by someone other than a licensed physician, which includes but is not limited to eyebrows, eyelids, lips, and other parts of the body for beauty marks, hair imitation, lash enhancement, or areola repigmentation. This term includes any procedures whether referred to as, but not limited to, Jpermanent makeup,j Jmicrodermapigmentation,j Jmicropigment implantation,j Jmicroblading,j Jmicro-needling with the use of pigment,j Jdermagraphics,j Jcosmetic tattooing,j or any other similar procedures and for the purpose of this Code has the same meaning as Jtattoo.j

PERMIT see **LICENSE**

PERSON means an individual, any form of business or social organization, or any otherorations, partn‘

means a person licf ‘ ‘ ‘ ‘ ‘ medicine in all

1
synovial ƀ ‘ al ƀ ‘ ᵠ Ǿ ę ĺ M ɔ Ѝ
dѡ ᴀ ɣ Й] , any body ƀ ‘ ‘ ‘ ‘
ƀ ‘ ‘ where iv ʊ ᵀ M ę ʊ ɣ ᵠ ˬ ᵐ M ᴀ ᴰ M ʊ א ɔ ᴀ ᵀ ᵀ Ǿ ƙ
human (living or dead); and
- or HB̰ -cont ining cultf я
expf ʊ א l anim ɒ ls

PROCEDURE m6 ɲ ᵀ M ᵐ ⁎ l M ɒ ɣ ᵐ M ᴀ ɜ M ɔ Й ‘ ,

PROCEDURE AREA m6 ɲ ᵀ M ɒ M ı ᴀ ᴀ א ĺ M ᴀ ᴰ M ɒ ɲ ᶠ M
thav ʊ ᵀ M ę l ᵀ Ǿ ȳ ɲ ɒ ᵐ l ę M ᵐ ᴀ M ƙ l M ᵠ ᵀ ƽ ę M ᴀ ɲ ˬ ᶠ M ᵐ ᴀ M ɔ Й ‘ ,

PROCEDURE SITE m6 ɲ ᵀ M ᵐ ⁎ l M ɒ ƙ ë ɒ M ᴀ ᴰ M ˬ ᴀ ɣ ɒ ᵐ ʊ ᴀ ɲ M ᴀ ɲ M ᵐ ⁎ l M ɣ ˬ ʊ Ŭ s body
body ƨ rt.

PROPYLENE GAS m6 ɲ ᵀ M ɒ ɲ ᶠ M ȳ ɒ ᵀ M ᵐ ⁎ ɒ ƶ ‘ ‘
inclv l ᵀ M ƙ ᵠ ᵐ M ʊ ᵀ M ɲ ᴀ ᵐ M ˬ ʊ א ʊ ᵐ l ę M ᵐ ᴀ M ‘ ɾ ᵛ ᵛ M ȳ ɒ ᵀ M ɒ ɲ ę M א Ŭ ‘
REGULATED WASTE m6 ɲ ᵀ M ˬ ʊ v ŧ ‘ ‘
co ! " wo ˬ ŭ ‘
or sem ıı liqv ę M ᵀ ᵐ ɒ ᵐ l M ʊ ɜ M ɣ ᴅ ‘ ‘ Ƭ wit
inf6 ᵐ ʊ ᴀ ᵠ ᵀ M א ɒ ᵐ l ƙ ʊ ž ˬ ᵀ M ɒ ɲ ę M ɒ ƙ ë M ɣ ɒ ɔ ɒ ƙ ˬ l M ᴀ ɜ M ᴰ ƽ ˬ Ŭ ‘
sharps; and pathological and microbiological wastec co blood or other potf
inf6 ᵐ ʊ ᴀ ᵠ ᵀ M א ɒ ᵐ l ƙ ʊ ž ˬ ᵀ M Я ¯ ή ” ɾ M ę l ɲ ʊ ᵐ ʊ ᴀ ɲ M Ǝ Ǿ ɣ ɜ ᴰ M ž ž Ŏ ž ɳ î

means employees, body artists, cont ɣ ᵐ l ę M ƙ ᴀ ę ᶠ M ɒ ᴰ ᵐ ʊ ᵀ ᵐ ᵀ ĺ M ɒ ɲ ę M ɒ ȳ f

STERILITY means a state of being free from viable microorganisms [ISO 11139].

TATTOO means the mark resulting from the act of tattooing.

TATTOOING means any act of placing ink or other pigment into or under the skin or mucosa by the use of needles or any other method used to puncture the skin, resulting in permanent or temporary colorization of the skin or mucosa. This includes all forms of permanent cosmetics.

TEMPORARY BODY ART ESTABLISHMENT means any place or premise operating at a fixed location where a body artist performs body art procedures but does not have a permanent body art facility license (i.e., educational, trade show, convention, public or private events, performance, product demonstration, or aesthetic shows).

TEMPORARY BODY ARTIST LICENSE see **LICENSE**

THERMAL CAUTERY UNIT (TCU) means an electrical device that provides direct or alternating current that is passed through a resistant metal wire electrode, generating heat used for branding.

ULTRASONIC CLEANER or **ULTRASONIC** means a device that removes debris by a process called cavitation, in which waves of acoustic energy are propagated in aqueous solutions to disrupt the bonds that hold particulate matter to surfaces [Guidelines for Disinfection and Sterilization in Healthcare Facilities, 2008, Section 445].

ULTRAVIOLET AIR PURIFIER means a machine designed to use ultraviolet germicidal irradiation bonds t ' gh a re |

2.1 The Centers for Disease Control and Prevention (CDC) determined that the use of ASEPTꟾC TECHNꟾQUE is a fundamental standard of care to prevent infection in healthcare settings. This standard is ȷnot expected to change based on emerging evidence or to be regularly altered by changes in technology or practicesȷ (Healthcare ꟾnfection Control Practices Advisory Committee, 2017). The Body Art Model Code (BAMC) Committee recognizes that not all policies and procedures required for a healthcare setting or laboratory are applicable to a BODY ART ESTABLꟾSHMENT but believes that due to the nature of the work and the severe risk for transmission of harmful pathogens via body ɳuids, ASEPTꟾC TECHNꟾQUE is an important standard for BODY ART ESTABLꟾSHMENTS.

2.2 The U.S. Department of Labor (U.S. DOL, n.d.) classiɲes MꟾNORS as individuals under the age of 18. The Fair Labor Standards Act (FLSA) sets standards and requirements for MꟾNORS working in jobs covered by the statute and dictates permitted occupations for MꟾNORS, abiding by the guiding principle that the working conditions do not interfere with their schooling or health and well-being. As applicable to BODY ART, 29 C.F.R. 570.34(b) permits 14- and 15-year-olds to be employed to perform work of an artistically creative nature (U.S. DOL, 2016). U.S. DOL does not, however, consider TATTOOꟾNG or BODY PꟾERCꟾNG to be artistically creative endeavors under the provisions of either 29 C.F.R. 570.34(b) or 29 C.F.R. 541.302(b) due to the potential for exposure to BLOODBORNE PATHOGENS (Child Labor Regulations, 2010). Where state employment law and the FLSA overlap, whichever law is more protective of the MꟾNOR shall be applied (U.S. DOL, n.d.).

2.3 BODY ARTꟾSTS and ESTABLꟾSHMENTS must be licensed per Section 14 of this Code to ensure the BODY ART ESTABLꟾSHMENTS are properly inspected and regulated in the interest of PERSONNEL and CLꟾENT safety.

2.4 BODY ARTꟾSTS must maintain a certain level of personal hygiene to avoid contaminating their WORKSTATꟾON and ꟾNSTRUMENTS. Relative to other parts of the hand, the area underneath the ɲngernails harbors the most microorganisms and is the most diɕcult area to clean (Lin et al., 2003). Artiɲcial, or acrylic, nails harbor more bacteria than natural nails and as such, this Code prohibits BODY ARTꟾSTS from wearing them. According to the Association of perioperative Registered Nurses (2021), ȷArtiɲcial nails have been associated with hand contamination and epidemiologically implicated in outbreaks caused by gram-negative bacteria and yeasts.ȷ Fingernail length is another essential element in hand hygiene, as studies have consistently found that microbial cell numbers are positively correlated with ɲngernail length (Lin et al., 2003; Wu & Lipner, 2020). As of publication, no studies have shown that nails with intact polish harbor more microbes than unpolished nails. Studies have found, however, that nails with chipped polish might serve as reservoirs for microbes (Ward, 2007).

2.5 Open, uncovered wounds are entry points for pathogens (Mckenzie, 2018). The BODY ARTꟾST must treat and cover any wounds to prevent infection and the spread of disease.

2.6 Performing BODY ART PROCEDURES on infected or damaged skin can lead to the spread of disease and can be harmful to public health. Those with conditions that aFect the skin have a higher M ʊ ɲ ӟ

consultations to observe the skin; considering a diFerent location for the BODY ART; and

external surface of the glove to be donned on the folded ɲngers of the gloved hand, thus permitting to glove the second hand.
6. Once gloved, hands should not touch anything else that is not deɲned by indications and conditions for glove use.

To reduce cross-contamination, GLOVES must be removed and thrown away whenever a BODY ARTɥST leaves their WORKSTATɥON (National ɥnstitute for Occupational Safety and Health [NɥOSH], 2013). Proper technique for GLOVE removal as dictated by WHO (2009)is as follows:

1. Pinch one glove at the wrist level to remove it, without touching the skin of the forearm, and peel away from the hand, thus allowing the glove to turn inside out.
2. Hold the removed glove in the gloved hand and slide the ɲngers of the ungloved hand inside between the glove and the wrist. Remove the second glove by rolling it down the hand and fold into the ɲrst glove.
3. Discard the removed gloves.
4. Then, perform hand hygiene by rubbing with an alcohol-based handrub or by washing with soap and water.

Several clinical studies have conɲrmed the eɞcacy of GLOVES in reducing the transmission of pathogens. GLOVES do not, however, provide complete protection against hand CONTAMɥNATɥON and should not be used as a substitute for proper hand hygiene (WHO, 2009). BODY ARTɥSTS must wash their hands before putting on GLOVES. Moisture inside GLOVES creates conditions in which bacteria can reproduce (NɥOSH, 2013). Thus, it is essential that BODY ARTɥSTS completely dry their hands prior to putting on GLOVES (Bloodborne Pathogens, 2012). BODY ARTɥSTS must wash their hands immediately after removal of GLOVES, as pathogens can gain access to the BODY ARTɥSTꞀS hands via defects in GLOVES or by CONTAMɥNATɥON of the hands during GLOVE removal.

2.9 PERSONNEL must make best eForts to prevent CONTAMɥNATɥON of EQUɥPMENT. As stated in Section 2.1 of this Code, BODY ARTɥSTS must use ASEPTɥC TECHNɥQUE. To prevent CONTAMɥNATɥON of EQUɥPMENT surfaces that are diɞcult to clean, barriers such as clip cord covers and machine covers can be used (CDC, 2019a).

EQUɥPMENT that can inadvertently become CONTAMɥNATED, despite best eForts, must be inspected and removed or DECONTAMɥNATED to reduce the potential for infection. OSHA regulations regarding CONTAMɥNATɥON of EQUɥPMENT state that any ȷequipment which may become contaminated with blood or other potentially infectious materialsȷ shall be examined and DECONTAMɥNATED as necessary (Bloodborne Pathogens, 2012).

2.10 OSHA regulations regarding eating or drinking in BODY ART PROCEDURE AREAS are as follows:

> 1910.1030(d)(2)(ix) Eating, drinking, smoking, applying cosmetics or lip balm, and handling contact lenses are prohibited in work areas where there is a reasonable likelihood of occupational exposure.
>
> 1910.1030(d)(2)(x) Food and drink shall not be kept in refrigerators, freezers, shelves, cabinets, or on countertops or benchtops where blood or other potentially infectious materials are present. (Bloodborne Pathogens, 2012)

Exceptions can be made when it is necessary to render ɲrst aid, such as when a CL↯ENT is feeling faint. ↯n such instances, BODY ART↯STS must make their best eFort to avoid

ꟾnternational (formerly known as the American Society for Testing and Materials), and APP. ꟾSO establishes expert reviewed and approved international standards across industries to Ɉensure quality and safety in both products and servicesɉ (Approachable Certiɲcation, 2016). ASTM ꟾnternational (2021), one of the largest voluntary standards developing organizations in the world, develops standards for materials, products, systems, and services. Materials listed in Section 4 of this Code with ASTM ꟾnternational or ꟾSO standards are BꟾOMEDꟾCAL materials proven safe for human implant standards. Materials listed without ASTM ꟾnternational or ꟾSO standards are chosen based on the research and expertise of APP and other industry experts.

4.2 Records, whether in print or electronic, shall be retained in accordance with the DEPARTMENT or at minimum following the 3-year requirement of this Code. OPERATORS should collect and store receipts to certify they have an adequate amount of JEWELRY for initial piercings as referenced in Section 4.1. Maintaining suɞcient inventory of BꟾOCOMPATꟾBLE JEWELRY ensures BODY ARTꟾSTS never have to compromise quality and risk infection or other adverse reactions. ꟾnspectors are encouraged to exercise due diligence by auditing the documentation to ensure that MATERꟾAL CERTꟾFꟾCATES, receipts, inventory, packaging, etc., are consistent and meet BꟾOCOMPATꟾBꟾLTY standards.

4.3 Piercers must certify with their manufacturers that the JEWELRY they are using meets the standards for BꟾOCOMPATꟾBꟾLTY in Section 4.1 of this Code. Records of this certiɲcation, also called MATERꟾAL CERTꟾFꟾCATES or mill certiɲcates, are documents provided to JEWELRY makers by the manufacturers of the raw materials. MATERꟾAL CERTꟾFꟾCATES provide Ɉevidence of a speciɲc grade of metal with an ASTM or ꟾSO code designationɉ (APP, n.d.b). MATERꟾAL CERTꟾFꟾCATES must be retained for a minimum of 3 years and produced for ꟾNSPECTꟾON, or upon request, to ensure compliance with BꟾOCOMPATꟾBꟾLꟾTY standards.

TATTOO inks, dyes, and pigments can be CONTAMꟾNATED with microorganisms that can cause infection and other serious complications. ꟾnks, dyes, and pigments must be purchased from trusted manufacturers that can verify the STERꟾLꟾTY of the product.

The Food and Drug Administration (FDA) investigates and takes appropriate action when it identiɲes a safety problem associated with TATTOO ink. FDA (2015), however, has traditionally not exercised regulatory authority for color additives on the pigments used in tattoo inks. Color additives are subject to premarket approval under the Federal Food, Drug, and Cosmetic Act, though even with this approval process in place, inks can still be CONTAMꟾNATED. For example, in May 2019, FDA issued a safety advisory regarding six TATTOO inks that were found to be CONTAMꟾNATED with microorganisms and had been voluntarily recalled (FDA, 2019).

This Code requires BODY ARTꟾSTS to use distilled or STERꟾLE WATER for the mixing of inks, dyes, or pigments. Dilution with nonsterile water has been linked to multiple waterborne skin infections caused by *Legionella*, *Pseudomonas*, and *Mycobacteria* (County of San Diego Department of Environmental Health, n.d.). ꟾnfections from these bacteria can result in s l ҽY t in z ɔ M

ART. ¶n the case of an outbreak or complaint, water should be tested to determine if it is a source of CONTAM¶NAT¶ON.

BODY ART¶STS must also ensure that any prediluted ink is manufactured using STER¶LE processes and materials. ¶n 2012, FDA reported an outbreak of nontuberculous mycobacterial (NTM) skin infections associated with the use of prediluted gray ink. NTM contamination of inks can occur during the manufacturing process as a result of using contaminated ingredients or poor manufacturing practices, or when inks are diluted with nonsterile water (CDC, 2012).

¶nks must be placed into S¶NGLE-USE cups or caps immediately before a TATTOO is applied to minimize potential CONTAM¶NAT¶ON opportunities. All cups and caps must be properly disposed of after the BODY ART PROCEDURE. ¶nk cups or caps and leftover ink, which has direct blood contact, must be disposed of safely in accordance with Section 12 of this Code.

COSMET¶C TATTOO¶NG, also referred to as permanent makeup or PERMANENT COSMET¶CS, is a specialized TATTOO technique that deposits colored pigment into the upper reticular layer of the dermis (Society of Permanent Cosmetic Professionals, 2021). Popular COSMET¶C TATTOO¶NG PROCEDURES include lipliner, eyeliner, and eyebrows. Eyebrow COSMET¶C TATTOO¶NG is often done using a technique called microblading, which utilizes a small disposable blade that is conjgured of multiple small needles and attached to a handle.

The disposal of manual devices for COSMET¶C TATTOO¶NG, including microblading, must comply with OSHA¼s Bloodborne Pathogens Standard (2012) section 1910.1030(d)(2)(vii)(A) that states, ƚContaminated needles and other contaminated sharps shall not be bent, recapped, or removed unless the employer can demonstrate that no alternative is feasible or that such action is required by a speciƭc medical or dental procedure.ƛ An OSHA interpretation letter explaining this requirement clariƭes that the exception for handling of a CONTAM¶NATED SHARP does not apply

During the BRANDꟾNG PROCEDURE, the BODY ARTꟾST and CLꟾENT must wear protective face masks rated as N95 or higher, as the fumes produced when ɳesh burns can be toxic and spread disease and infection. NꟾOSH-approved particulate ɲltering facepiece respirators include N95, Surgical N95, N99, N100, R95, P95, P99, and P100 (NꟾOSH, 2020).

Researchers have identiɲed over 600 organic compounds in the smoke generated by burned or vaporized tissue. Many of the identiɲed compounds have documented harmful health eFects including irritation to the eyes, nose, and throat; liver and kidney damage; carcinogenic cell

the PERSON establishing the Exposure Control Plan must solicit input from nonmanagerial employees who face potential exposure; and the Exposure Control Plan must be made available to the DEPARTMENT upon request. An emergency plan should be incorporated into a written Exposure Control Plan so PERSONNEL know the appropriate actions to take and PERSON to contact in response to emergencies, CONTAMꟾNATꟾON, and infection.

6.1.2 OPERATORS must retain certain records for each nonexempt worker pursuant to OSHAꞌs Records to Be Kept by Employers (1991). Payroll records containing the employee information stated in this Code must be kept on the premises or in a central records oGce for 3 years (U.S. DOL, 2008).

6.1.2.10.1 OSHAꞌs Bloodborne Pathogens Standard (2012) states in section 1910.1030(g)(2)(i) that the Ɉemployer shall train each employee with occupational exposure in accordance with the requirements of this section. Such training must be provided at no cost to the employee and during working hours.ɟ Training must be provided at the time of initial assignment to tasks where occupational exposure to blood or OTHER POTENTꟾALLY ꟾNFECTꟾOUS MATERꟾALS (OPꟾM) might exist and at least annually thereafter. Section (g)(2)(vii) lists the elements that must be covered in such training.

Additional training must be provided when any changes, such as modiȷcation of procedures or tasks or the institution of new procedures or tasks, aFect the employeeꞌs exposure. A letter of interpretation states that Ɉin this case, the additional training may be limited to addressing the newest information or change in procedure or policy and does not have to cover all the topics included in the initial trainingɟ (OSHA, 1997).

ꟾn the case of contract employees, the personnel provider and the ESTABLꟾSHMENT OPERATOR have a shared responsibility for assuring that employees are protected from workplace hazards (OSHA, 2011). OSHA standard interpretations (2011) state that the ESTABLꟾSHMENT OPERATOR is responsible for Ɉproviding site-speciȷc training and personal protective equipment, and would have the primary responsibility regarding the control of potential exposure conditionsɟ and the personnel provider is required to Ɉprovide the general training outlined in the [Bloodborne Pathogens] standard, ensure that employees are provided with the required vaccinations, and provide the proper follow-up evaluations following an exposure incident.ɟ

6.1.3

6.1.3.6 BꟾOMEDꟾCAL WASTE is regulated on a state and local level. OPERATORS must determine what their local regulations are and what records they must keep. Recordkeeping is essential for the disposal of BꟾOMEDꟾCAL WASTE to ensure traceability in the event of an incident or exposure to blood or OPꟾM.

6.1.5 ꟾnformation on OSHA Exposure Control Plan requirements can be found in

Section 6.1.1 of this Annex.

6.1.6 SAFETY DATA SHEETS (SDSs) communicate the hazards of chemical products and can be obtained from the manufacturer, distributor, or

7.4 BODY ARTISTS can obtain a COMPLAINT OF INJURY FORM from their DEPARTMENT. Should

at a neutral pH (Steris Healthcare, 2018). Enzymatic detergents are not DISINFECTANTS but are instead used during the cleaning cycle to lift soils from INSTRUMENTS. BODY ARTISTS must use enzymatic detergents in accordance with the manufacturer's instructions, including proper dilution of the detergent and contact with equipment for the amount of time specified on the label (CDC, 2019a).

9.11 This procedure for responding to a positive spore test is compatible with that developed by CDC and the Association of periOperative Registered Nurses. A BODY ART ESTABLꟾSHMENTꟾS procedure for responding to a positive spore test should be included in its Exposure Control Plan.

A single positive spore test does not necessarily indicate that the STERꟾLꟾZATꟾON procedure or sterilizer is defective. Single positive spore tests can occur sporadically due to slight variation in the resistance of the spores, improper use of the sterilizer, and laboratory contamination during culture (Rutala et al., 2019). Regardless of a potential false-positive, the procedures outlined in this Code must be followed in the case of a single positive spore test to ensure STERꟾLꟾTY of ꟾNSTRUMENTS.

An AUTOCLAVE repair service typically provides a loaner device during the repair period. Records for this loaned AUTOCLAVE must be maintained according to Section 8 of this Code. ꟾf a spore test is positive and there is no backup AUTOCLAVE, loaner AUTOCLAVE, or STERꟾLꟾZED equipment from a negative spore test cycle, the BODY ART ESTABLꟾSHMENT must exclusively utilize disposable ꟾNSTRUMENTS if operations continue while the AUTOCLAVE is out of service.

STERꟾLꟾZATꟾON records must be maintained for a minimum of 3 years in accordance with Section 8 of this Code.

10.1

11. REQUIREMENTS FOR SINGLE-USE ITEMS

1910.1030(g)(1)(i)(C) These labels shall be ηuorescent orange or orange-red or predominantly so, with lettering and symbols in a contrasting color.

1910.1030(g)(1)(i)(D) Labels shall be aσxed as close as feasible to the container by string, wire, adhesive, or other method that prevents their loss or unintentional removal.

1910.1030(g)(1)(i)(E) Red bags or red containers may be substituted for labels.

12.2.1 The BAMC Committee recognizes the storage time requirements for BιOMEDιCAL WASTE vary by jurisdiction but recommends the ESTABLιSHMENT develop and follow protocol that protect the health of their PERSONNEL, CLιENTS, and the public.

WHO recommendations for storage facilities for BιOMEDιCAL WASTE state that the storage area should be locked to prevent ESTABLιSHMENT personnel, patients, and visitors from entering the storage area.

1910.1030(d)(4)(iii)(A)(1)(iv) Labeled or color-coded in

(Source: Cathy Montie Body Art Training Company, 2020.)

13.2 Environmental surfaces, such as walls, ηoors, and sinks, must be smooth, durable, in good repair, and nonporous to allow for easy cleaning to reduce microorganisms and prevent pathogen transmission. Using nonporous materials is an environmental control that reduces the risk of pathogen exposure and spread, as there is no way to completely DψSψNFECT absorbent materials.

BODY ARTψSTS and OPERATORS must determine the schedules and methods necessary to clean and DψSψNFECT surfaces depending on the area (e.g., PROCEDURE AREA, nonprocedure area, restroom, oɠce), type of surface, and the level of CONTAMψNATψON. PROCEDURE AREAS must be cleaned and DψSψNFECTED after each CLψENT. Most environmental surfaces need to be cleaned with only a detergent and water or a U.S. EPA-registered hospital disinfectant/detergent, depending on the nature of the surface and the type and degree of contamination (Kohn et al., 2003).

OSHA's Bloodborne Pathogens Standard (2012) states:

13.3 To prevent cross-contamination, BODY ART PROCEDURES and related activities must be

surfaces need to be cleaned with only a detergent and water or a U.S. EPA-registered hospital disinfectant/detergent, depending on the nature of the surface and the type and degree of contamination (Kohn et al., 2003).

13.8 Adequate ventilation and lighting are essential to a healthy working environment. Ventilation is an engineering control that supplies fresh air to an enclosed space to replace the existing air and remove contaminants. Ventilation is a critical concern with BODY ART, as the associated activities use processes and chemicals that generate fumes. Ventilation capacity should be reviewed during the plan review. OPERATORS should follow the manufacturer's guidelines for ventilation products to ensure the product is appropriately sized to the room based on the square footage.

Proper lighting is essential for a healthy work environment and keeps PERSONNEL and CLIENTS in a BODY ART ESTABLISHMENT safe from accidents. Artificial lighting is defined by the U.S. General Services Administration (2010) as a "combination of direct and indirect sources provided by ambient and task lighting fixtures and should complement, not duplicate, natural lighting." Lighting is typically measured in foot-candles. One foot-candle is equivalent to one lumen per square foot. The BODY ART ESTABLISHMENT must have an artificial light source equivalent to at least 20 lumens per square foot, or 20 foot-candles, to ensure PERSONNEL can see where there could be CONTAMINATION in the PROCEDURE AREA and ESTABLISHMENT at large.

13.9 The Americans with Disabilities Act (ADA) defines a service animal as a "dog that has been individually trained to do work or perform tasks for an individual with a disability" (U.S. Department of Justice, 2020). ADA Title II states that "consistent with CDC guidance, it is generally appropriate to exclude a service animal from limited-access areas that employ general infection-control measures" (U.S. Department of Justice, 2010).

The *Guidelines for Environmental Infection Control in Health-Care Facilities* (CDC, 2019a) does not prohibit fish tanks/aquariums in waiting areas but does recommend that they are kept out of patient-care areas and STERILE and clean supply storage areas to control the spread of waterborne microorganisms. Based on these guidelines, this Code states that fish aquariums are allowed in waiting rooms and nonprocedural areas, but that they are prohibited from PROCEDURE AREAS and STERILIZATION AREAS/ROOMS. CDC guidelines also recommend establishing a FACILITY policy for regular cleaning of fish tanks (CDC, 2019a). Supplying fish tanks/aquariums with aquatic species that can survive underwater for a minimum of 48 hours, maintaining a regular cleaning schedule for fish tanks/aquariums, and ensuring the tank/aquarium is the appropriate size for the number of fish housed in it will help reduce the risk of CONTAMINATION in the BODY ART ESTABLISHMENT.

13.10 Healthcare specialists generally cite HANDWASHING as the single most important factor in stopping the spread of germs and reducing the risk of infection (CDC, 2000; International Association of Healthcare Central Service Material Management, 2016). Each BODY ART PROCEDURE AREA must be equipped with a sink dedicated exclusively to HANDWASHING. To prevent cross-contamination, HANDWASHING SINKS should not be used for purposes other than HANDWASHING.

OSHA's Bloodborne Pathogens Standard (2012) defines HANDWASHING facilities as facilities "providing an adequate supply of running potable water, soap, and single-use towels or air-drying machines". This Code requires paper towels be used for hand drying, as SINGLE-USE paper towels efficiently dry hands, effectively remove bacteria, and cause less

releasing these materials during handling; contaminated sharps; and pathological and microbiological wastes containing blood or other potentially infectious materials.

REGULATED WASTE must be disposed of in accordance with Section 12 of this Code. Nonregulated waste can be discarded as general waste. General waste receptacles must be lined, covered, hands free, and easily cleanable to maintain FAC¶L¶TY hygiene and prevent pathogen transmission.

13.16 Uncontaminated supplies and ¶NSTRUMENTS should be stored in closed or covered cabinets or containers. Uncontaminated supplies should not be stored under sinks or in other locations where they might become wet (Kohn et al., 2003). Clean or STER¶LE ¶NSTRUMENTS cannot be stored in an area where CONTAM¶NATED ¶NSTRUMENTS are held or cleaned (i.e., uncontaminated ¶NSTRUMENTS must be stored in an area where they can remain uncontaminated). STER¶LE items should be wrapped or placed in containers designed to maintain sterility during storage (Kohn et al., 2003).

13.17 Reusing cloths and textiles in a BODY ART FAC¶L¶TY poses an increased risk for cross-contamination. According to CDC (2019a), contaminated textiles and fabrics often contain a high number of microorganisms from bodily substances. There are various disposable options for textiles that can be used in a BODY ART ESTABL¶SHMENT, such as disposable chair or table covers, disposable facemasks, and disposable pillowcases to cover vinyl pillows and wedges.

14. LICENSE REQUIREMENTS

14.1-14.5 ¶n the interest of public health, both the BODY ART ESTABL¶SHMENT, whether ɲxed, mobile, or temporary, and the BODY ART¶STS must be licensed with the DEPARTMENT. The licensing procedure can diFer between departments and/or licensing agencies. Licensing procedures shall be conducted in accordance with the jurisdictionʞs administrative procedure act, which establishes procedures for agencies to carry out their functions of rulemaking, adjudication, and licensing (Justia, 2018).

ESTABL¶SHMENTS and BODY ART¶STS that operate outside of what their L¶CENSE permits are subject to revocation and/or legal remedial actions and sanctions depending on the jurisdiction.

14.1 Upon enactment of this Code, ESTABL¶SHMENTS and BODY ART¶STS will have 6 months to achieve compliance with this Code to ensure public health is protected without putting an undue burden on any ESTABL¶SHMENT or BODY ART¶ST.

14.1 To protect public health and PERSONNEL safety, BODY ART ESTABL¶SHMENTS must go through the licensing process annually with their DEPARTMENT. L¶CENSES are nontransferrable and any change in OPERATORS or FAC¶L¶TY location will require a new application.

Any establishments using EAR P¶ERC¶NG GUNS or similar devices must comply with this Code and be licensed by the DEPARTMENT. Further justiɲcation on this recommendation

For sections 14.3.3ʐ14.3.5, the following list provides references to the area in this Code and Annex where further information on each requirement can be found, where applicable:

15.1 The BODY ART ESTABLISHMENT PERSONNEL and the DEPARTMENT should consult local and state laws and safety guidelines.

16. ENFORCEMENT

16.1 The DEPARTMENT shall refer to their jurisdiction's administrative procedure act. The Administrative Procedure Act (APA) is a federal law that establishes uniform procedures for federal agencies to carry out their functions of rulemaking, adjudication, and licensing. All U.S. states have adopted a body of statutes similar to the federal APA (Justia, 2021).

17. INSPECTION

17.1–17.6 INSPECTIONS must be performed in compliance with the applicable administrative procedure act. All U.S. state legislatures have passed adminis

18.1-18.3 Suspension procedures must be performed in compliance with the jurisdiction's administrative procedure act. All U.S. state legislatures have passed administrative procedure acts that govern the way in which agencies operate, propose and issue regulations, and conduct administrative hearings and appeals (Yackee, 2019).

18.3 Following notification that the conditions causing the suspension have been corrected, the

20.3 The 12-month period refers to the LICENSE period for BODY ARTIST LICENSES and fixed BODY ART ESTABLISHMENT LICENSES, both of which are issued and expire annually.

This fee structure was developed from industry standards to help the DEPARTMENT protect public health without placing an undue burden on any parties involved. An escalating structure for repeat violations provides the DEPARTMENT the ability to ensure public health and safety hazards are addressed. In cases where violations are not addressed and LICENSES are suspended per Section 20.3.4 of this Code, the LICENSE holder can apply for reinstatement, and protocol dictated by the jurisdiction's administrative procedure act must be followed.

20.4 An established limit on the length of time that a citation can go unaddressed allows the DEPARTMENT to protect public health by limiting the time a potential public health hazard can remain unrectified.

20.5 This fee structure was developed from industry standards to help the DEPARTMENT protect public health without placing an undue burden on any parties involved. When a BODY ARTIST LICENSE is placed on revoked status, the individual is considered to be operating without a LICENSE, per Section 19.4 of this Code. Additionally, if a BODY ARTIST operates in an ESTABLISHMENT that has a suspended LICENSE, the DEPARTMENT can issue citations.

21. DEPARTMENT PERSONNEL COMPETENCY REQUIREMENTS

21.1 DEPARTMENT personnel performing environmental health/sanitary evaluations or complaint investigations of BODY ART ESTABLISHMENTS play a vital role in identifying and controlling environmental hazards and toxic exposures that might affect individual or population health (Public Health Degrees, 2021). According to the U.S. Bureau of Labor Statistics (2021), for most entry-level jobs, "environmental scientists and specialists must have a bachelor's degree in environmental science or a science-related field, such as biology, chemistry, physics, geosciences, or engineering." Depending on the jurisdiction, DEPARTMENT personnel might be required to pass a civil service exam and hold an environmental health specialist license or credential. These DEPARTMENT personnel requirements serve to provide regulators with the industry-specific knowledge and skills necessary to protect public health.

DEPARTMENT personnel performing evaluations, investigations, or INSPECTIONS of BODY ART ESTABLISHMENTS must have proof of completion of an OSHA Bloodborne Pathogens Standard training program (or equivalent) given or approved by the DEPARTMENT, proof of completion of an OSHA first aid training program (or equivalent) given or approved by the DEPARTMENT, and proof of completion of an in-person CPR training program (or equivalent) given or approved by the DEPARTMENT. The importance of safety and regulations surrounding BLOODBORNE PATHOGENS requires that regulators complete OSHA Bloodborne Pathogens Standard training to be able to protect themselves from blood and OPIM during INSPECTIONS, to be prepared in the event of an unanticipated incident occurring during INSPECTIONS, and to be able to ensure BODY ART PERSONNEL compliance in the interest of public health and safety. Completing first aid and CPR trainings enables the regulator to have a full understanding of what is expected of BODY ART PERSONNEL and to ensure compliance in the interest of public health and safety.

22.1

APPENDIX A: National Environmental Health Association Policy Statement on Ear Piercing Guns

Policy Statement on Ear Piercing Guns

In the U.S., approximately 83% of the population has their earlobes pierced and 14% has a piercing outside the earlobe (The Academy of Responsible Tattooing, 2018). Commonly regulated separate from other piercing techniques, ear piercing guns are frequently used to pierce the ear lobe, outer ear, and other areas of the body despite their inability to meet the same sterilization requirements as other piercing methods. This inability increases health risks such as infection, disease transmission, and tissue damage, including cartilage shattering (Centers for Disease Control and Prevention [CDC], 2008, 2018; Keene et al., 2004), as well as potential hospitalization in severe cases (Cicchetti et al., 2002; Margulis et al., 2001 01 apeat

Background

The perception of body piercing has changed from extreme to generally accepted. While exact numbers are hard to come by, some studies have stated that 83% of the U.S. population has their ears pierced, and only 10ꝛ20% of women do not (The Academy of Responsible Tattooing, 2018; Hallman, 2005). As piercings are becoming more common, further studies and experiences have shed more light on the most common methods used. Ear piercing guns are frequently used to pierce the ear lobe, high ear, and occasionally other areas of the face and body. The instruments are designed to pierce the skin by driving a starter earring through the desired area. The most common type of ear piercing gun is spring loaded and when the trigger is released, the earring is driven through the skin and into the provided earring back. Some models of ear piercing guns use disposable cartridges (the stud-and-clasp holder is entirely disposable), while more traditional ear piercing guns require manual loading of the earring and back into the device for each procedure. ꟾn either case, most ear piercing guns are made at least partially of plastic and cannot be sterilized to the same extent as other piercing equipment, leading to a greater risk of infection. Ear piercing guns are typically used in mall kiosks or cosmetic shops and are rarely found in tattoo and piercing studios (More et al., 1999).

Regulation of ear piercing guns varies across the country. The Food and Drug Administration (FDA) maintains the position that ear piercing devices should be restricted to prescription dispensing, which means they cannot be used by people without medical training. Furthermore, FDA has attempted to regulate such devices on an ad hoc basis. Due to the lack of uniformity in state regulations, however, FDA is unable to enforce this position. ꟾn fact, many states do not require prescription dispensing as FDA suggests. A recent opinion from the California attorney general stated that because Ɉear piercing does not constitute the practice of medicine, it follows that . . . there are no circumstances that would prohibit a nurse or any other licensed or unlicensed person from performing earlobe piercingɟ (Food and Drug Administration, 2015). ꟾndiana and Tennessee piercing regulations exclude ear piercing guns from piercing instrument deɲnitions, thereby eliminating most sterilization requirements (ꟾndiana State Department of Health, 2017; Tennessee Department of Health, 2002). ꟾn contrast, several state regulations limit the use of ear piercing guns to the ear lobe or the lobe and the outer ear due to the increased potential for tissue damage. Ear piercing guns use blunt force to pierce the skin and can damage the surrounding cartilage and lead to serious infection. Ohio, Oklahoma, and Massachusetts limit the use of the ear piercing gun to the lobe alone, while Mississippi and Texas allow the device to be used on the entire ear but nowhere else on the body (Ohio Administrative Code, 2014; Oklahoma State Department of Health, 2017; Mississippi State Department of Health, 2012; Ridley, 2001; Texas Department of State Health Services, 2005).

Some ear piercing gun operators have reported that the guns malfunction at times, requiring removal of the jewelry with pliers that are later used on other clients, creating a pathway for disease transmission. Occasionally the force of the gun is insuɕcient to force the earring stud through the clientꞌs ear, leading to contamination from the employee attempting to remove the earring or excessive trauma if the earring is forced through the lobe. Ear piercing guns are also misused despite manufacturer instructions. Piercings have been documented on ear lobes, upper ear cartilage, nostrils, navels, eyebrows, tongues, and other areas of the body although many manufacturers label ear piercing guns for use on ear lobes only (Association of Professional Piercers [APP], 2018). ꟾnfections from ear piercing gun procedures on the tongue or navel often result in serious complications.

Due to widely varying regulations and underreporting, well documented data on ear piercing gun procedure complications are lacking. Nonetheless, infection and injury have been documented. When used on the high ear, piercing guns drive the blunt end of the earring through the cartilage,

using sheer force to complete the piercing. Rather than creating a clean cut, the cartilage can be fractured around the piercing, which can lead to infection and a difficult, lengthy healing process (Lyons et al., 2012). In rare cases, infection from this type of injury can lead to choroiditis and the collapse of the upper ear, resulting in a difficult reconstruction process with varying success (Cicchetti et al., 2002; Margulis et al., 2003). Keloid formation, or excessive scarring, has also been documented after high ear piercing infections using an ear piercing gun (Bashir et al., 2011).

In any piercing area, the posts of the jewelry used in ear piercing guns are often too short to accommodate the swelling that occurs after the procedure, pushing the stud up against the back of the ear. This occurrence can lead to cases of embedded earrings, increased pain, and infection. Jewelry that fits too closely to the skin prevents normal discharge from piercing sites to

client to technician, and from technician to client. ԓnfection or injury are also likely to lengthen the healing time for piercings, which can already take months to completely heal. While ear lobe piercings typically heal in 6ȥ8 weeks, cartilage and navel piercings can take anywhere between 6 months to a full year if no complications occur. Ear piercing guns need to be regulated with the same sterilization standards as all other piercing establishments to alleviate these issues.

Risk of infection is magniȷed by unsanitary workspaces that do not meet regulations or recommendations for general piercing studios. For any type of piercing, all surfaces should be nonporous and easily cleanable. These surfaces include ɳoors, counters, chairs, and walls. Many ear piercing guns are used in unregulated procedures in mall stores or kiosks, which can emphasize comfort and appearance over cleanliness. ԓn addition to limited separation from other areas of the store, ear piercing gun procedure areas might have pillows, sheets, or rugs. These surfaces are absorbent and could contain blood particles from multiple clients. A tuberculocidal disinfectant should also be used to regularly clean all surfaces. Lighting and washing is also pillows, ɐaytrou

Lyons, M., Stephens, J., Wasson, J., DeZoysa, N., & Vlastarakos, P. (2012). High ear-piercing: An increasingly popular procedure with serious complications. Is good clinical practice exercised? *European Archives of Oto-Rhino-Laryngology, 269*(3), 1041–1045.

Margulis, A., Bauer, B.S., & Alizadeh, K. (2003). Ear reconstruction after auricular chondritis secondary to ear piercing. *Plastic and Reconstruction Surgery, 111*(2), 891–897.

More, D.R., Seidel, J.S., & Bryan, P.A. (1999). Ear-piercing techniques as a cause of auricular chondritis. *Pediatric Emergency Care, 15*(3), 189–192.

Ohio Administrative Code, Department of Health. (2014). *Chapter 3701-9 tattoo and body piercing services*. http://codes.ohio.gov/oac/3701-9

Oklahoma State Department of Health. (2017). *Title 310. Oklahoma State Department of Health, chapter 233, a*

NEHA Committee Members

Laurel Arrigona, Regulatory AFairs, Ceutical Laboratories, ꟾnc.

Matthew Bavougian, Owner and Senior Piercer at Onyx Piercing Studio

Michael Crea, Owner of Z-Edge Piercing, ꟾnc.

Steve Ɉoyner, Legislation and Regulatory AFairs, Association of Professional Piercers

Cathy Montie, Owner of Absolute Tattoo, Piercing, and Permanent Cosmetics and Bloodborne Pathogen Trainer

Katherine Sweeney, REHS, Sanitarian, Kent County, Michigan Health Department

Adopted by the NEHA Board of Directors: Ɉune 25, 2018
Sunsets: Ɉune 25, 2021

Policy Statement on Microblading

Background

Regulation of microblading varies widely across the country. While the Food and Drug Administration (FDA) can investigate and act to prevent consumer injury after a public health issue is identiȷned, there is no federal oversight for cosmetic or traditional tattooing. ↯nstead, states and other local jurisdictions are largely responsible for regulating tattooing and permanent makeup industries (FDA, 2017). Health regulators in various states have taken dissimilar views on microblading with some considering severe restrictions to the practice and others believing microblading should be exempt from existing tattoo regulations. Lawmakers in Missouri, with support of permanent makeup technicians, recently put forth a bill that would redeȷne tattooing in the state to include microblading and other types of permanent makeup procedures (ℑLack of Regulations,ȷ 2017). Additionally, the Georgia Department of Public Health recently issued a press release stating that under Georgia law, microblading is considered tattooing and can only be performed in a licensed tattoo studio (Hokanson, 2017). Similarly, the Oklahoma State Department of Health speciȷes that any procedure that aFects more than the dead layer of skin cannot be performed by a cosmetology licensed individual (Oklahoma Secretary of State, 2017). Many other states including ↯daho, Maryland, and Wyoming, howev

References

Armstrong, M.L. (2005). Tattooing, body piercing, and permanent cosmetics: A historical and current view of state regulations, with continuing concerns. *Journal of Environmental Health, 67*(8), 38–43.

Braverman, S. (2012, February 23). One in five U.S. adults now has a tattoo. *The Harris Poll*. https://theharrispoll.com/new-york-n-y-february-23-2012-there-is-a-lot-of-culture-and- lore-associated-with-tattoos-from-ancient-art-to-modern-expressionism-and-there-are-many-reasons-people-choose-to-get-or-not-get-p

Centers for Disease Control and Prevention. (2006). HIV transmission among male inmates in a state prison system – Georgia, 1992–2005. *Morbidity and Mortality Weekly Report, 55*(15), 421–426.

Coulson, A.C. (2012). Illegal tattoos complicated by Staphylococcus infections: A North Carolina wound care and medical center experience. *Wounds: A Compendium of Clinical Research and Practice, 24*(11), 323–326.

Cunningham, L., & Feighery, C. (2015). Granulomatous reaction to eyebrow tattooing responding to potent topical steroid treatment. *British Journal of Dermatology, 173*(Suppl. S1), 88–89.

Darby, D., & Darby, A. (2016a, February 18). Microblading – First things first. *CosmeticTattoo.org*

Landers, M.C., Skokan, M., Law, S., & Storrs, F.J. (2005). Cutaneous and pulmonary sarcoidosis in association with tattoos. *Cutis, 75*(1), 44ȥ48.

Lee, ǂ.W., Ahn, S.K., Choi, E.H., Whang, K.K., & Lee, S.H. (2001). Complications of eyelash and eyebrow tattooing: Reports of 2 cases of pigment fanning. *Cutis, 68*(1), 53ȥ55.

Martín, J.M., Revert, A., Monteagudo, C., Villalón, G., Godoy, R., & Jordá, R. (2007). Granulomatous reactions to permanent cosmetic tattoos successfully treated with topical steroids and allopurinol. *Journal of Cosmetic Dermatology, 6*(4), 229ȥ231.

Mercer, M. (2017, June 14). Explosion in tattooing, piercing tests state regulators. *Stateline, The Pew Charitable Trusts*. http://www.pewtrusts.org/en/research-and- analysis/blogs/stateline/2017/06/14/explosion-in-tattooing-piercing-tests-state-regulators

Mirzaei, A., Joharimoghadam, M.M., & Zabihiyeganeh, M. (2017). Adalimumab-responsive refractory sarcoidosis following multiple eyebrow tattoos: A case report. *Tanafos, 16*(1), 80ȥ83.

Naeini, F.F., Pourazizi, M., Abtahi-Naeini, B., SaFaei, A., & Bagheri, F. (2017). Looking beyond the cosmetic tattoo lesion near the eyebrow: Screening the lungs. *Journal of Postgraduate Medicine, 63*(2), 132ȥ134.

Oklahoma Secretary of State. (2017). 175:10-7-29. *Facial procedures, devices and equipment*. http://www.oar.state.ok.us/viewhtml/175_10-7-29.htm

Ringger, B., & Sluzevich, J. (2012). Recalcitrant cutaneous sarcoidosis successfully treated with methotrexate: A case report. *Journal of the American Academy of Dermatology, 66*(4, Suppl. 1), AB60.

Ro, Y.S., & Lee, C.W. (1991). Granulomatous tissue reaction following cosmetic eyebrow tattooing. *The Journal of Dermatology, 18*(6), 352ȥ355.

Sim, H.S., Seol, J.E., Chun, J.S., Choi, J.H., Seo, J.K., Lee, D., & Sung, H.S. (2010). EFect of allopurinol on foreign body granuloma. *Korean Journal of Dermatology, 48*(12), 1108ȥ1110.

Smith, M.H. (2003). Body adornment: Know the limits. *Nursing Management, 34*(2), 22ȥ24, 52.

Society of Permanent Cosmetic Professionals. (2018). *Microblading fact sheet*. https://www.spcp.org/information-for-technicians/spcp-guidelines/microblading-fact-sheet

Wenzel, S.M., Welzel, J., Hafner, C., Landthaler, M., & Bäumler, W. (2010). Permanent make-up colorants may cause severe skin reactions. *Contact Dermatitis, 63*(4), 223ȥ227.

NEHA Committee Members

Laurel Arrigona, Regulatory AFairs, Ceutical Laboratories, ꟾnc.

Matthew Bavougian, Owner and Senior Piercer at Onyx Piercing Studio

Michael Crea, Owner of Z-Edge Piercing, ꟾnc.

Steve Ɉoyner, Legislation and Regulatory AFairs, Association of Professional Piercers

Cathy Montie, Owner of Absolute Tattoo, Piercing, and Permanent Cosmetics and Bloodborne Pathogen Trainer

Katherine Sweeney, REHS, Sanitarian, Kent County, Michigan Health Department

Adopted by the NEHA Board of Directors: Ɉune 25, 2018
Sunsets: Ɉune 25, 2021

APPENDIX C: Centers for Disease Control and Prevention 2020 National Notifiable Conditions

Anthrax
Arboviral diseases, neuroinvasive and non-neuroinvasive
- California serogroup virus diseases
- Chikungunya virus disease
- Eastern equine encephalitis virus disease
- Powassan virus disease
- St. Louis encephalitis virus disease
- West Nile virus disease
- Western equine encephalitis virus disease

Babesiosis
Botulism
- Botulism, foodborne
- Botulism, infant
- Botulism, wound
- Botulism, other

Brucellosis
Campylobacteriosis
Cancer
Candida auris, clinical
Carbapenemase Producing Carbapenem-Resistant Enterobacteriaceae (CP-CRE)
- CP-CRE, Enterobacter spp.
- CP-CRE, Escherichia coli (E. coli)
- CP-CRE, Klebsiella spp.

Carbon monoxide poisoning
Chancroid
Chlamydia trachomatis infection
Cholera
Coccidioidomycosis
Congenital syphilis
- Syphilitic stillbirth

Coronavirus Disease 2019 (COVID-19)
Cryptosporidiosis
Cyclosporiasis
Dengue virus infections
- Dengue
- Dengue-like illness
- Severe dengue

Diphtheria
Ehrlichiosis and anaplasmosis
- *Anaplasma phagocytophilum* infection
- *Ehrlichia chaffeensis* infection
- *Ehrlichia ewingii* infection
- Undetermined human ehrlichiosis/anaplasmosis

Foodborne Disease Outbreak
Giardiasis
Gonorrhea
Haemophilus influenzae, invasive disease

Hansen's disease
Hantavirus infection, non-Hantavirus pulmonary syndrome
Hantavirus pulmonary syndrome
Hemolytic uremic syndrome, post-diarrheal
Hepatitis A, acute
Hepatitis B, acute
Hepatitis B, chronic
Hepatitis B, perinatal virus infection
Hepatitis C, acute
Hepatitis C, chronic
Hepatitis C, perinatal infection
HIV infection (AIDS has been reclassified as HIV Stage III)
Influenza-associated pediatric mortality
Invasive pneumococcal disease
Lead, elevated blood levels
    Lead, elevated blood levels, children (<16 Years)
    Lead, elevated blood levels, adult (≥16 Years)
Legionellosis
Leptospirosis
Listeriosis
Lyme disease
Malaria
Measles
Meningococcal disease
Mumps
Novel influenza A virus infections
Pertussis
Pesticide-related illness and injury, acute

Syphilis
    Syphilis, primary
    Syphilis, secondary
    Syphilis, early non-primary non-secondary
    Syphilis, unknown duration or late
Tetanus
Toxic shock syndrome (other than streptococcal)
Trichinellosis
Tuberculosis
Tularemia
Vancomycin-intermediate *Staphylococcus aureus* and Vancomycin-resistant *Staphylococcus aureus*
Varicella
Varicella deaths
Vibriosis
Viral hemorrhagic fever
    Crimean-Congo hemorrhagic fever virus
    Ebola virus
    Lassa virus
    Lujo virus
    Marburg virus
    New World arenavirus ȥ Guanarito virus
    New World arenavirus ȥ Junin virus

46781-15	CAV¶C¶DE BLEACH	METREX RESEARCH
46781-6	CAV¶C¶DE	METREX RESEARCH
46781-8	CAV¶W¶PES	METREX RESEARCH
46851-1	OMN¶ ¶¶	CERTOL ¶NTERNAT¶ONAL, LLC
46851-5	OMC ¶¶ SPRAY	CERTOL ¶NTERNAT¶ONAL, LLC
498-134		

70590-2	BLEACH-RꟿTE DꟿSꟿNFECTꟿNG SPRAY WꟿTH BLEACH	CURRENT TECHNOLOGꟿES ꟿNC
70627-2	DꟿSꟿNFECTANT D.C. 100	DꟿVERSEY, ꟿNC.
70627-56	OXꟿVꟿR TB	DꟿVERSEY, ꟿNC.
70627-6	PHENOLꟿC DꟿSꟿNFECTANT HG	DꟿVERSEY, ꟿNC.
70627-60	OXꟿVꟿR WꟿPES	DꟿVERSEY, ꟿNC.
70627-74	OXꟿVꟿR 1	DꟿVERSEY, ꟿNC.
70627-77	OXꟿVꟿR 1 WꟿPES	DꟿVERSEY, ꟿNC.
72083-2	HALOSOURCE BLEACH	HALOSOURCE, ꟿNC.
73232-1	ALPET D2	BEST SANꟿTꟿZERS, ꟿNC.
74559-1	ACCEL TB	VꟿROX TECHNOLOGꟿES ꟿNC.
74559-10		

9480-10	WONDER WOMAN FORMULA B	PROFESSꟾONAL DꟾSPOSABLES ꟾNTERNATꟾONAL, ꟾNC.
9480-12	WONDER WOMAN FORMULA B GERMꟾCꟾDAL WꟾPES	PROFESSꟾONAL DꟾSPOSABLES ꟾNTERNATꟾONAL, ꟾNC.
9480-14	PROJECT FLASH SPRAY	PROFESSꟾONAL DꟾSPOSABLES ꟾNTERNATꟾONAL, ꟾNC.
9480-4	SANꟾ-CLOTH GERMꟾCꟾDAL WꟾPES	PROFESSꟾONAL DꟾSPOSABLES ꟾNTERNATꟾONAL, ꟾNC.
9480-8	PDꟾ SANꟾ-CLOTH BLEACH WꟾPES	PROFESSꟾONAL DꟾSPOSAB LES ꟾNTERNATꟾONAL, ꟾNC.
9480-9	FREESTAR	PROFESSꟾONAL DꟾSPOSABLES ꟾNTERNATꟾONAL, ꟾNC.
954-10	CLꟾPPERCꟾDE SPRAY	KꟾNG RESEARCH, ꟾNC.
9616-13	VERTEX GERMꟾCꟾDAL ULTRA BLEACH	VERTEX CHEMꟾCAL CORP
9804-1	OXꟾNE	BꟾO-CꟾDE ꟾNTERNATꟾONAL ꟾNC

(U.S. EPA, 2021b)

References

3M Medical. (n.d.). *Steam chemical indicator classi f cations*. https://mdrao.ca/ɲles/pdfs/ClassesofCh

Centers for Disease Control and Prevention. (2019b). *Nationally notifiable diseases*. https://www.cdc.gov/healthywater/statistics/surveillance/notifiable.html

Centers for Disease Control and Prevention. (2020a). *When and how to wash your hands*. https://www.cdc.gov/handwashing/when-how-handwashing.html

Centers for Disease Control and Prevention. (2020b). *2020 national notifiable conditions (historic)*. https://wwwn.cdc.gov/nndss/conditions/notifiable/2020/

Centers for Disease Control and Prevention. (2021a). *STATE system smokefree indoor air fact sheet*. https://www.cdc.gov/statesystem/factsheets/sfa/SmokeFreefndoorAir.html

Centers for Disease Control and Prevention. (2021b). *STATE system e-cigarette fact sheet*. https://www.cdc.gov/statesystem/factsheets/ecigarette/ECigarette.html

Chartier, Y., Emmanuel, J., Pieper, U., Prüss, A., Rushbrook, P., Stringer, R., Townend, W., Wilburn, S., & Zghondi, R. (Eds.). (2014). *Safe management of wastes from health-care activities* (2nd ed.). World Health Organization. https://www.who.int/water_sanitation_health/publications/wastemanag/en/

Child Labor Regulations, Orders and Statements of fnterpretation, 29 C.F.R. § 570 (2010). https://www.ecfr.gov/cgi-bin/text-idx?SfD=7a1e290f5888c4e3f639f78b86b5870c&mc=true&node=pt29.3.570&rgn=div5#sp29.3.570.a

County of San Diego Department of Environmental Health. (n.d.). *Sterile water use in tattooing*. https://www.sandiegocounty.gov/content/dam/sdc/deh/fhd/bodyart/sterilewater_ba.pdf

Dubrey, J. (2020, March 13). Biological and chemical indicators ? What and why? *Sterilizer Autoclave Solutions*. https://statimusa.com/2020/03/biological-and-chemical-indicators-what-and-why/

Food and Drug Administration. (1993). *Guidance on the content and format of premarket notification [510(k)] submissions for sharps containers*. https://www.fda.gov/regulatory-information/search-fda-guidance-documents/guidance-content-and-format-premarket-notification-510k-submissions-sharps-containers

Food and Drug Administration. (2015). Cosmetic facts: *Tattoos and permanent makeup*. https://www.fda.gov/media/93379/download

Food and Drug Administration. (2019). *FDA advises consumers, tattoo artists, and retailers to avoid using or selling certain tattoo inks contaminated with microorganisms*. https://www.fda.gov/cosmetics/cosmetics-recalls-alerts/fda-advises-consumers-tattoo-artists-and-retailers-avoid-using-or-selling-certain-tattoo-inks

Food and Drug Administration. (2021a). *UV lights and lamps: Ultraviolet-C radiation, disinfection, and coronavirus*. https://www.fda.gov/medical-devices/coronavirus-covid-19-and-medical-devices/uv-lights-and-lamps-ultraviolet-c-radiation-disinfection-and-coronavirus

Food and Drug Administration. (2021b). *MedWatch: The FDA safety information and adverse event reporting program*. https://www.fda.gov/safety/medwatch-fda-safety-information-and-adverse-event-reporting-program

Gallè, F., Mancusi, C., Di Onofrio, V., Visciano, A., Alfano, V., Mastronuzzi, R., Guida, M., & Liguori, G. (2011). Awareness of health risks related to body art practices among youth in Naples, fltaly: A descriptive convenience sample study. *BMC Public Health, 11*, Article 625. https://doi.org/10.1186/1471-2458-11-625

Goudriaan, A.E., Grekin, E.R., & Sher, K.J. (2007). Decision making and binge drinking: A longitudinal study. *Alcoholism: Clinical and Experimental Research, 31*(6), 928–938. https://doi.org/10.1111/j.1530-0277.2007.00378.x

Govoni, M. (2013, July). Steam sterilization integrators? An important component for quality assurance in dental instrument sterilization. *Dental Economics*. https://www.hu-friedy.com/sites/default/files/M7736_Steam%20Sterilization_Integrators_Govoni_DE_0713.pdf

Hazard Communication, 29 C.F.R. § 1910.1200 (2013). https://www.ecfr.gov/cgi-bin/text-idx?SID=69fa5bb5a4ab7b1744f383cf3964e20e&mc=true&node=se29.6.1910_11200&rgn=div8

Healthcare Infection Control Practices Advisory Committee. (2017). *Core infection prevention and control practices for safe healthcare delivery in all settings—Recommendations of the Healthcare Infection Control Practices Advisory Committee*. Centers for Disease Control and Prevention. https://www.cdc.gov/hicpac/pdf/core-practices.pdf

Huang, C., Ma, W., & Stack, S. (2012). The hygienic efficacy of different hand-drying methods: A review of the evidence. *Mayo Clinic Proceedings, 87*(8), 791–798. https://pubmed.ncbi.nlm.nih.gov/22656243/

International Association of Healthcare Central Service Material Management. (2016). *Central service technical manual*

Medical Waste Management Act of 2017, California Health and Safety Code §117600-118360 (2017, January). https://367adc24-a584-4bd8-ad7e-fdc8e50bddda.plesusr.com/ugd/9a076f_d95201a26d854f49899717b52b01ede8.pdf

Palit, A., Batabyal, P., Kanungo, S., & Sur, D. (2012). ꟻn-house contamination of potable water in urban slum of Kolkata, ꟻndia: A possible transmission route of diarrhea. *Water Science & Technology, 66*(2), 299ⵣ303. https://doi.org/10.2166/wst.2012.177

Public Health Degrees. (2021). *How to become an environmental health specialist*. https://www.publichealthdegrees.org/careers/environmental-health-specialist/

Records to Be Kept by Employers, 29 C.F.R. § 516 (1991). https://www.ecfr.gov/cgi-bin/retrieveECF

U.S. Environmental Protection Agency. (2020). *Pest control: Resources for housing managers*. https://www.epa.gov/safepestcontrol/pest-control-resources-housing-managers

U.S. Environmental Protection Agency. (2021a). *Medical waste*. https://www.epa.gov/rcra/medical-waste

U.S. Environmental Protection Agency. (2021b). *List B: EPA's registered tuberculocide products e f ective against* Mycobacterium tuberculosis. https://www.epa.gov/pesticide-registration/list-b-epas-registered-tuberculocide-products-eFective-against-mycobacterium

U.S. General Services Administration. (2010). *Facilities standards for the public buildings service*. https://www.gsa.gov/cdnstatic/2010_P100_FacilitiesStandards.pdf

Vatansever, F., Ferraresi, C., de Sousa, M.V.P., Yin, R., Rineh, A., Sharma, S.K., & Hamblin, M.R. (2013). Can biowarfare agents be defeated with light? *Virulence, 4*(8), 796ƺ825. https://doi.org/10.4161/viru.26475

Verdejo-García, A., Pérez-García, M., & Bechara, A. (2006). Emo

www.neha.org